

Garden Gates

Our garden gates are made from premium quality timber softwood and come in a range of solid and slatted designs to suit all fence styles and heights.



Due to the erratic price changes in raw material, we have temporarily removed prices from our Good Fencing Guide.

To see our latest prices for our range of garden gates, view our website by scanning the code on the left.

You can choose between a variety of solid gates that offer privacy and security or slatted or woven designs that can help create a light and airy space. You can also choose between a flat top style garden gate or an arched finish - either concave or convex.

Featherboard Gates

Matching our most popular style of fencing, this timeless Featherboard gate creates a solid, simple entrance, available with a curved or flat top.



Featherboard gates are offered in 0.90m and 1.00m widths, wider gates and paired gates are available to special order, please ask for a price and details. Featherboard gates are constructed using Jakcure® treated softwood in a sawn finish and use galvanised bolts and stainless steel nails. Right hand hanging as standard. (Left hand hanging also available). Please note that pairs of convex or concave garden gates will have one curve as standard. This applies to most garden gates not just Featherboard. Stiles are 120mm wide to allow the fitting of optional J-Lock and Latch. Posts for hanging garden gates, see page 48 - 49 unless gate is not in fence run as then we need larger posts.

Our gate posts, like all Jacksons panels and traditional fencing systems, are supplied in natural Jakcure® treated finish and are guaranteed against rot and insect attack for 25 years.

To hang a standard gate up to 0.90m wide, use planed 91mm x 91mm posts. If the standard gate is 0.90m or 1.00m use 125mm x 125mm nominal posts. Slotted end posts (Ref 668500) 2.40m long can be used to hang most standard gates in a fence run. However for certain gate types and non standard sizes you may require taller or larger posts. In this instance, please ask for advice.

The rise and fall on convex and concave Featherboard gates is 75mm. The gate height stated is the maximum height of the gate. We recommend a 50mm gap below the gate for clearance. Adjustable hinges, shutting strips and latch are supplied with every standard gate. They are essential to ensure the gate is held in the correct position to avoid twisting. Gates and latches are always to be operated by an adult. The structure (right) of the gate remains the same for the Concave and Convex styles.

● Stock items ○ Made to order (cannot be cancelled once ordered)



Featherboard Gates (Level Top)				
Gate* Height	Fence Height	Gate Width	Ref	
1.78m	1.80m	0.90m	231900 ●	
1.18m	1.20m	1.00m	231100 ●	
1.48m	1.50m	1.00m	231200 ●	
1.78m	1.80m	1.00m	231300 ●	
1.93m	1.95m	1.00m	232000 ●	

*including capping



Concave Featherboard Gates				
Gate* Height	Fence Height	Gate Width	Ref	
1.15m	1.20m	1.00m	231101 ○	
1.45m	1.50m	1.00m	231211 ○	
1.75m	1.80m	1.00m	231301 ○	



Convex Featherboard Gates				
Gate* Height	Fence Height	Gate Width	Ref	
1.15m	1.20m	1.00m	231102 ○	
1.45m	1.50m	1.00m	231202 ○	
1.75m	1.80m	1.00m	231302 ○	

*Convex and Concave gates do not have capping

Advice: We always recommend a 50mm gap below the gate for clearance to avoid leaves building up. Shutting strips and latch are supplied with every gate. They are essential to ensure the gate is held in the correct position to avoid twisting. Stiles are 120mm wide.

Brook & Brabourne Boarded Garden Gates

Robust and versatile, for use with Tongue & Groove Effect Panels, both Brook and Brabourne gates will add privacy to any property.



Supplied in a natural, planed Jakcure® treated finish and constructed using galvanised bolts and stainless steel nails, these gates feature 120mm wide stiles to allow the fitting of optional J-Lock and Latch. Right hand hanging as standard. (Left hand hanging also available). Standard widths: 750mm, 900mm and 1m; wider gates and paired gates are available to special order, please ask for price and details. Standard heights: 1.18m, 1.48m, 1.78m and 1.93m when hung 50mm above the ground for clearance. The capping rail on a Brook gate top matches fence capping rail. Posts for hanging garden gates (see page 48 - 49) unless gate is not in fence run as then we need larger posts.

Special size gates can be made to order subject to size limitations, please ask for a quote and ensure that you allow 10mm each side of the gate for gaps and adjustments.



Gate fittings include heavily galvanised ring latch, adjustable hook and band hinge. The structure (left) of the gate remains the same for the Concave and Convex styles.

Wall Plate, J-Lock & Latch

Please see page 69 for information.

Please note: all standard gates are available in pairs though not displayed in images.

Some timber products will take a while to dry out after the Jakcure® process and natural shrinkage can occur. To prevent unstained timber becoming visible, we recommend not staining products until they have had a prolonged period of dry weather to fully dry out.



Brook Gate (Suited to T&G Panels)

Gate* Height	Fence Height	Gate Width	Ref	
1.18m	1.22m	1.00m	275800	○
1.48m	1.52m	1.00m	275900	○
1.78m	1.83m	0.75m	276000	●
1.78m	1.83m	0.90m	276100	●
1.78m	1.83m	1.00m	276200	●
1.93m	1.83m**	1.00m	276250	●

*including capping

**To suit 1.83m panel on Gravel Board



Brabourne Gate (Convex Top)

Gate* Height	Fence Height	Gate Width	Ref	
1.15m	1.22m	1.00m	277100	○
1.45m	1.52m	1.00m	277200	○
1.75m	1.83m	0.75m	277300	●
1.75m	1.83m	0.90m	277400	●
1.75m	1.83m	1.00m	277500	●

*Convex gates do not have capping

The drop on Convex gates is 75mm. The gate height stated is the maximum height of the gate.

● Stock items ○ Made to order (cannot be cancelled once ordered)

Hit & Miss Gates

Hit and Miss gates are available in vertical and horizontal styles to match our fencing and offer a modern solution for creating an airy garden without compromising on privacy.



Posts for hanging garden gates, see page 48 - 49 unless gate is not in fence run as then they need larger posts. Special size gates can be made to order, please ask for a quote. We can make many of our gates to special sizes, size limitations vary. Please allow 10mm each side of the gate for gaps and adjustments. Gate fittings include ring latch, adjustable hook and band hinges. Fittings are heavily galvanised steel.



Hit & Miss Gates Vertical

Gate* Height 1.93m	Gate Width	Ref**
Right handed	1.00m	631920 ○
Left handed	1.00m	631922 ○

Gate* Height 1.78m

Right handed	1.00m	631900 ●
Left handed	1.00m	631990 ●



Hit & Miss Gates Horizontal

Gate* Height 1.93m	Gate Width	Ref**
Right handed	1.00m	631820 ○
Left handed	1.00m	631822 ○

Gate* Height 1.78m

Right handed	1.00m	631800 ●
Left handed	1.00m	631880 ●

*both options including capping. **1.78m are stock - 1.93m are not.

Hit & Miss gates now have 120mm stiles to allow fitting of key locks. ● Stock items

■ Check for availability ○ Made to order (cannot be cancelled once ordered)



Wall Plates

Wall Plates for fixing gates to walls. A wall plate is a length of timber that can be fixed to a wall that the gate can then be hung on. Planed finish dimensions before treatment.

Height	Size	Ref	
1.80m planed finish	95mm x 70mm	228000	●
2.10m planed finish	95mm x 70mm	228050	■
2.40m planed finish	95mm x 70mm	228100	■
1.80m planed finish	95mm x 45mm	171000	●
2.10m planed finish	95mm x 45mm	171021	■
2.40m planed finish	95mm x 45mm	171024	■



J-Lock and Latch*

The perfect solution for our Courtyard and timber garden gates. Stainless steel 60mm back-set mortice lock and latch for single and double leaf timber gates. The adjustable self-latching bolt in combination with the stainless steel hook (dead bolt) provides extra security.

	Ref	
J-Lock fitted	357700BM	○
J-Lock supply only	357770BM	■

*Can be fitted to a gate with 120mm stiles. Other gates with 95mm stiles can be supplied with a heavier frame as a special order, if a lock is required.


Venetian Hit & Miss, Urban Gates & Horizontal Tongue & Groove Gates

These slatted style gates are new to our range and have been designed for all types of garden, from contemporary settings to rural locations, offering an attractive entrance to any property.




For posts for hanging garden gates, see page 48 - 49. Special size gates can be made to order, please ask for a quote. We can make many of our gates to special sizes, size limitations vary. Please allow 10mm each side of the gate for standard gaps and adjustments.

Gate fittings include ring latch, adjustable hook and band hinges. Fittings are heavily galvanised steel.

	Venetian Hit & Miss Gates			
	Gate* Height 1.915m	To Suit Fence Height	Gate Width	Ref (inc fittings)
	Right handed	1.970m	1.00m	657810BM ○
Left handed	1.970m	1.00m	657811BM ○	

*including capping
● Stock items ■ Check for availability ○ Made to order (cannot be cancelled once ordered)

	Urban Gates			
	Gate* Height 1.93m	To Suit Fence Height	Gate Width	Ref
	Right handed	2m	1.00m	658500 ○
Left handed	2m	1.00m	658550 ○	


*including capping

Gate Instructions

Need help measuring for a garden gate?

We offer installation instructions and advice for how to measure garden gates on our website, or give our friendly sales team a call for further advice.

Visit: www.jacksons-fencing.co.uk/gates

	Horizontal Tongue & Groove Gates			
	Gate* Height 1.78m	To Suit Fence Height	Gate Width	Ref
	Right handed	1.8m	1.00m	277600 ○
Left handed	1.8m	1.00m	277660 ○	

*including capping



Due to the erratic price changes in raw material, we have temporarily removed prices from our Good Fencing Guide.

To see our latest prices for our range of garden gates, view our website by scanning the code on the left.

Venetian, Chilham, Woven & Canterbury Combi Gates


Our slatted and solid gates are designed for all types of garden, from rural to urban, offering an attractive entrance to any property.




For posts for hanging garden gates, see page 48 - 49. Special size gates can be made to order, please ask for a quote.

We can make many of our gates to special sizes, size limitations vary. Please allow 10mm each side of the gate for standard gaps and adjustments.

Gate fittings include ring latch, adjustable hook and band hinges. Fittings are heavily galvanised steel.

	Chilham Gates			
	Must only be used with 'L' hinges supplied			
	Gate* Height 1.75m	To Suit Fence Height	Gate Width	Ref
Right handed	1.8m	1.00m	656400 ●	
Left handed	1.8m	1.00m	656440 ●	


*plus capping.

	Venetian Gates			
	Gate* Height 1.78m	To Suit Fence Height	Gate Width	Ref
	Right handed	1.83m	1.00m	657700 ●
Left handed	1.83m	1.00m	657770 ●	

*plus capping

	Woven Gates			
	Must only be used with 'L' hinges supplied			
	Gate* Height 1.78m	To Suit Fence Height	Gate Width	Ref
Right handed	1.83m	1.00m	656610 ○	
Left handed	1.83m	1.00m	656611 ○	

*including capping

	Canterbury Combi Gates			
	Gate* Height 1.93m	To Suit Fence Height	Gate Width	Ref
	Right handed	2m	1.00m	659100 ○
Left handed	2m	1.00m	659110 ○	

*plus capping.

● Stock items ○ Made to order (cannot be cancelled once ordered)


Palisade & Jaktop Gates


Palisade gates are available with pointed or rounded tops and are perfect for creating an attractive entrance to front gardens and pet enclosures. Our unique Jaktop gates are perfect for cottage gardens and front entrances, combining strength with unique style to create an attractive entry to your property.




For posts for hanging garden gates, see page 48 - 49.
For Mitre gate specification please see page 26 - 27.
Special size gates can be made to order, please ask for a quote. We can make many of our gates to special sizes, size limitations vary. Please allow 10mm each side of the gate for standard gaps and adjustments.

Gate fittings include ring latch, adjustable hook and band hinges. Fittings are heavily galvanised steel.

	Palisade Gates Rounded Pale Tops			
	Gate Height	To Suit Fence Height	Gate Width	Ref
	0.95m	1.00m	1.00m	223300 ●
	1.15m	1.20m	1.00m	224300 ●
	1.75m	1.80m	1.00m	225800 ■

	Palisade Gates Pointed Pale Tops			
	Gate Height	To Suit Fence Height	Gate Width	Ref
	0.95m	1.0m	1.00m	222700 ●
	1.15m	1.20m	1.00m	222600 ●
	1.75m	1.80m	1.00m	225900 ○

● Stock items ■ Check for availability ○ Made to order (cannot be cancelled once ordered)

	Jaktop Gate			
	Gate Height	Fence Height	Gate Width	Ref
	0.86m	0.90m	1.00m	602600 ○
	1.15m	1.20m	1.00m	602900 ○
	0.86m	0.90m	1.20m	602700 ○
	1.15m	1.20m	1.20m	603000 ○
	0.86m	0.90m	1.50m	602800 ○
	1.15m	1.20m	1.50m	603100 ○
	Centre Gate Stop			602200 ■

Palisade Gate Posts			
1.50m & 1.80m are 100mm x 75mm & 2.40m (nominal) are 125mm x 75mm section* (not morticed).			
Gate Height	Post height	Rounded Tops Ref	Pointed Tops Ref
0.95m	1.50m	223400 ●	220500 ●
1.17m	1.80m	224400 ●	220600 ■
1.75m	2.40m	226800 ■	226500 ○

*If digging into soft ground, it may be necessary to upgrade to a 1.80m post for a 0.95m gate.

Square Top Standard & Premier Trellis Gates

Ideal for confined spaces, dark corners or used within a garden to separate areas, trellis gates offer an attractive access solution that increases light.



For posts for hanging garden gates, see page 48 - 49.
Special size gates can be made to order, please ask for a quote. We can make many of our gates to special sizes, size limitations vary. Please allow 10mm each side of the gate for standard gaps and adjustments.


Gate fittings include ring latch, adjustable hook and band hinges. Fittings are heavily galvanised steel.

Wall Plate, J-Lock & Latch

Please see page 69 for information.

Jakcure® Cut Treatment

Where cutting or drilling treated timber cannot be avoided, always use Jakcure® Cut Treatment to ensure no timber is left untreated and the conditions of the 25-year Jakcure® guarantee are met. Read the instructions carefully.

	Ref
 500g bottle	131212 ●

● Stock items ○ Made to order (cannot be cancelled once ordered)

Square Top Standard Trellis Gates Must only be used with 'L' hinges supplied				
Gate* Height	To Suit Fence Height	Gate Width	Ref	
1.78m				
Right handed	1.83m	1.00m	639500 ○	
Left handed	1.83m	1.00m	639550 ○	

*including capping

Premier Trellis Gates (Right Handed)				
Gate* Height	To Suit Fence Height	Gate Width	Ref	
1.78m				
100mm Square	1.83m	1.00m	740000 ○	
Lattice	1.83m	1.00m	750000 ○	
Diamond	1.83m	1.00m	744000 ○	

*including capping. Finals & post caps are on page 54 - 55.

To see our latest prices for Trellis garden gates, view our product name page on our website by scanning the QR code.

