

Featherboard Panels

One of the strongest types of fencing available, Featherboard fence panels have a traditional Closeboard or Featheredge design, improved by the use of Jakcure® pressure treated timber, and stainless steel fixings. These versatile panels are a timeless feature in any garden.



Panels shown with optional capping rails.



Non-standard gate. Top rail + bottom flush. Normally set 125mm down/up.

Featherboard panels are constructed with 2 rails up to 1.35m high, and 3 rails for 1.5m and above, and clad with 100mm pales to provide one of the strongest close board panel fences available. Featherboard panels are available with Level, Concave or Convex Top options.



Featherboard panels are designed for use with our slotted Jakposts, see pages 48 - 49, and manufactured from superior quality Jakcure® treated softwood, guaranteed for 25 years.

Featherboard panels are 1.83m wide and available in a range of heights, detailed below. Panels may be cut to a desired width on site. It is also available in Kit Form, referred to as Traditional Featherboard System, see pages 46 - 47. For matching gates please see page 66. Stainless steel fixings are used throughout for longer life.

To meet the conditions of the 25 year Jakcure® guarantee, gravel boards are required where panels are in contact with the ground.

Featherboard Panels (1.83m wide)

Level Top			Concave		
Height	Ref	Price	Height* at highest point	Ref	
0.60m	636900 ■			-	
0.90m	637000 ●		-	-	
1.05m	636100 ●		1.05m	635000 ○	
1.20m	637100 ●		1.20m	636000 ○	
1.35m	636200 ●		1.35m	635100 ○	
1.50m	637200 ●		1.50m	636400 ○	
1.65m	636300 ●		1.65m	635200 ○	
1.80m	637300 ●		1.80m	636600 ○	

Convex	
Height* at highest point	Ref
1.05m (0.90m at sides)	635300 ○
1.20m (1.05m at sides)	636700 ○
1.35m (1.20m at sides)	635400 ○
1.50m (1.35m at sides)	636800 ○
1.65m (1.50m at sides)	635500 ○
1.80m (1.65m at sides)	636500 ○

*Standard drop of Concave and Convex panels is 150mm

● Stock items ■ Check for availability
○ Made to order (cannot be cancelled once ordered)



I've now had 3 lots of Featherboard panels and posts from Jacksons and as usual the service & quality of the products were first class. Theirs is by far the best fencing we've ever had - the Jakcure® treatment really has prevented any deterioration. We have just extended a line of fencing erected two years ago & the new panels match the originals perfectly.

J Milne, June 2019



Featherboard Level Top

Featherboard Convex Top

Featherboard Concave Top



Due to the erratic price changes in raw material, we have temporarily removed prices from our Good Fencing Guide. To see our latest prices, view our Featherboard on our website by scanning the QR code.

Vertical Tongue & Groove Effect Panels

Our Vertical Tongue and Groove Effect panels are a mainstay of our premium panels range and are available with a Level or Convex Top.



Panels shown with optional capping rails.



They feature a mortice and tenon jointed frame for extra strength while the infill is constructed using Vertical Tongue and Groove Effect boards, which incidentally match the infill used on our Courtyard Gates, see pages 98 - 99.



The centre of the panel is given additional support with one 70mm wide rail for heights up to 1.22m, and two rails for heights of 1.52m and above. Panels are 1.83m wide, available in five heights from 0.91m to 1.83m with the option to use a panel width cut-down kit if required. Top and bottom rails are 70mm x 51mm planed with sides of 45mm x 51mm. Standard Tongue and Groove Effect panels have 21 pales.

Tongue and Groove Effect panels are designed for use with our slotted Jakposts, see pages 48 - 49, and manufactured from superior quality planed finish Jakcure® treated softwood, guaranteed for 25 years. Stainless steel fixings are used throughout for longer life. For matching Brook/Brabourne garden gates please see page 66.

To meet the conditions of the 25 year Jakcure® guarantee, gravel boards are required where panels are in contact with the ground.

**The chunky Diamond Trellis is only for use as a topper panel on Convex Tongue and Groove Effect panels (sold separately). The trellis measures 1.83m wide x 300mm high, with a planed finish. (745300 - £65.45).

Tongue & Groove Effect Panels (1.83m wide)

Level Top			Cut width kits		
Height	Ref		Height	Ref	
0.91m	630100 ●		0.91m	630100K ●	
1.22m	630200 ●		1.22m	630200K ●	
1.52m	630300 ●		1.52m	630300K ●	
1.65m	630000 ●		1.65m	630000K ●	
1.83m	630400 ●		1.83m	630400K ●	

Convex		
Height* at highest point	Ref	
1.52m	630310 ●	
Cut width kit	630300K ●	
1.83m	630410 ●	
Cut width kit	630400K ●	

*Convex panels standard drop is 150mm - on both sides
● Stock items ○ Made to order (cannot be cancelled once ordered)



Did You Know:

There is no need to apply any further timber protection treatment to your Jacksons Jakcure® treated product. Some customers might want to add colour to their Jacksons products. In these cases, please be aware that timber will naturally take a while to dry, during which, natural shrinkage can occur, so we recommend that you don't apply any colour coatings until the timber is fully dry and stable.



Vertical Tongue & Groove Level Top

Vertical Tongue & Groove Convex Top



Due to the erratic price changes in raw material, we have temporarily removed prices from our Good Fencing Guide. To see our latest prices, view our Tongue and Groove on our website by scanning the codes above.

Horizontal Tongue & Groove Effect Panels

Horizontal Tongue and Groove Effect panels are similar to their vertical counterpart panels making them a staple within our range, but the boards run horizontally and are only available with a Level Top.



Panels shown with optional capping rails.



They feature a mortice and tenon jointed frame for extra strength while the infill is constructed using horizontal Tongue and Groove Effect boards. The centre of the panel is given additional support with one 70mm wide rail for heights up to 1.22m, and two rails for heights of 1.52m and above.



Panels are 1.83m wide, with heights of 0.91m to 1.83m. Supporting rails are 45mm x 51mm and sides are 70mm x 51mm. Panels are available in five heights from 0.91m to 1.83m x 1.83mm wide with the option to use a panel width cut-down kit if required. Horizontal Tongue and Groove Effect panels have 21 pales.

Horizontal Tongue and Groove Effect panels are designed for use with our slotted Jakposts, see pages 48 - 49 and manufactured from superior quality, planed finish Jakcure® treated softwood, guaranteed for 25 years. Stainless steel fixings are used throughout for longer life. For matching garden gates please see page 68.

To meet the conditions of the 25-year Jakcure® guarantee, gravel boards are required where panels are in contact with the ground, see pages 50 - 51, and any timber cut on site must be treated with Jakcure® Cut Treatment, see page 53 or please visit our website.

Horizontal Tongue & Groove Effect Panels (1.83m wide)

Level Top		Cut width kits	
Height	Ref	Height	Ref
0.91m	632009 ○	0.91m	657100K ●
1.22m	632012 ○	1.22m	657200K ●
1.52m	632015 ○	1.52m	657300K ●
1.65m	632016 ○	1.65m	657350K ●
1.83m	630400 ●	1.83m	657400K ●

● Stock items ○ Made to order (cannot be cancelled once ordered)
■ Check for availability

“

Easy to order, delivered quickly & dropped by forklift on drive. Good quality construction fencing. Will place future order happily.

Mr Robinson, June 2020



Due to the erratic price changes in raw material, we have temporarily removed prices from our Good Fencing Guide. To see our latest prices, view our Horizontal Tongue & Groove fencing on our website by scanning the QR code.

Railing Toppers

Designed to fit on top of our premium framed panels, Railing Toppers add a touch of elegance and extra security to your garden.



Available in three styles; Level, Concave and Convex Top, the durable galvanised and powder coated steel panels feature finials and collars to alternate pales. Alongside added security, the other benefit of the slender metal topper panel is the extra light it offers, important if your garden suffers from lack of sunlight.



Like all of our panels, Railing Toppers slot easily into our sturdy Jakposts - see pages 48 - 49. All toppers are 1.83m wide. The Level Top panel is 450mm high. The Concave panel is 315mm at its lowest point, 450mm at the sides. The Convex panel is 585mm at the highest point and 450mm at the sides.

The top rail is constructed using 50mm x 6mm flat bar with 12mm vertical pales, while the bottom and side rails are of 50mm x 25mm steel box section, drilled with 6mm holes for fixing to the posts and fence top rail/wall for added rigidity and to prevent removal.

Manufactured from galvanised steel for extra long life and a 25 year service life guarantee. Polyester powder coated black as standard with a range of other colours available at additional cost.

Railing Topper Panels (1.83m wide)

Panel Type	Ref
Level Top	084101 ■
Concave	084201 ■
Convex	084301 ■

■ Check for availability



“

Excellent service from start to completion of order. Staff are responsive, helpful and efficient. Product is good quality, great value, and the delivery went smoothly. All round great service and product. Happy to recommend Jacksons Fencing and when I need fencing I intend to buy from them again.

Ms Brandon, February 2022



Due to the erratic price changes in raw material, we have temporarily removed prices from our Good Fencing Guide. To see our latest prices, view our Railing Toppers page on our website by scanning the QR code.

Hit & Miss Panels

Hit and Miss panels are so called because the boards are alternately fixed on the front and the back of the panel with an over-lap to create a stylish Hit and Miss pattern.



They are part of our premium ‘good-both-sides’ range so that both you and your neighbour have the best looking side of the fence, as both sides are the same. Hit and Miss panels are available with the boards running horizontally or vertically (please note that it is just about possible to see through the panels at certain angles).



Whichever contemporary style you choose, improved wind resistance is a bonus, as air can pass through the gaps.

Panels are 1.83m wide with a 45mm x 51mm frame planed. The spacing of boards varies slightly on different height horizontal Hit and Miss - for ease of alignment, we recommend vertical style panels are used when different heights are used in a run.

Our Hit and Miss panels are available in four heights, all at 1.83m wide and they are designed for use with our slotted Jakposts, see pages 48 - 49, and manufactured from quality, planed finish Jakcure® treated softwood, guaranteed for 25 years. We also use stainless steel fixings throughout for longer life. For matching gates please see pages 64 - 71.

To meet the conditions of the 25-year Jakcure® guarantee, gravel boards are required where panels are in contact with the ground, see pages 50 - 51. If you have to cut down a panel on site then use the following kit reference for all panel sizes. Always use Jakcure® Cut Treatment on cut timber, see page 53.

Hit & Miss Panels (1.83m wide)

Vertical		Horizontal	
Height	Ref	Height	Ref
0.91m	634300 ●	0.91m	631500 ●
1.22m	634200 ●	1.22m	631600 ●
1.52m	634100 ●	1.52m	631700 ●
1.83m	634000 ●	1.83m	634000 ●

Cut width kit

Height	Ref
1.83m	634000K ●

● Stock items



Inspirational

Many thanks to our customers who have shared their projects with us, without these inspirational images it would be difficult for us to show you the many ways that our products can be used.

If you have any photos of our products in your garden projects we'd love to see them, please email: pics@jacksons-fencing.co.uk



Due to the erratic price changes in raw material, we have temporarily removed prices from our Good Fencing Guide. To see our latest prices, view our Hit & Miss fencing page on our website by scanning the QR code.

Louvre Panels

Jacksons Louvre panels offer the sleek good looks suited to contemporary gardens. The horizontal slats are made from planed and shaped Jakcure® treated timber, secured to create an angle reminiscent of louvre blinds - unlike the flat profile of our Venetian fencing.



Panels shown with optional capping rails.



Rear view of Louvre panels.

The slats are also larger which gives greater privacy than Venetian - yet they still let in more light than solid styles like Chilham or Tongue and Groove Effect panels.



Louvre panels are designed for use with our slotted Jakposts, see pages 48 - 49, and manufactured from superior quality, planed finish Jakcure® treated softwood, guaranteed for 25 years.

Stainless steel fixings are used throughout for longer life. Four panel heights available, all at 1.83m wide. For garden gate options please see pages 64 - 71.

To meet the conditions of the 25-year Jakcure® guarantee, gravel boards are required where panels are in contact with the ground, see pages 50 - 51, and any timber cut on site must be treated with Jakcure® Cut Treatment, see page 53.

The panels can be cut to width on site with the original side batten being re-used in the new position.

Louvre Panels (1.83m wide)

Height	Ref	
0.91m	658109	○
1.22m	658112	○
1.52m	658115	■
1.83m	658118	●

● Stock items ■ Check for availability
○ Made to order (cannot be cancelled once ordered)



Oblique view of Louvre panels.



Excellent products that last so well. I have always noticed when you do need to cut anything, how much further Jacksons’ preservative treatment has penetrated into the wood than any of their competitors. Maybe a little more expensive than some similar products, but worth the extra as far as I am concerned.

Mr Andrew King, July 2018



Due to the erratic price changes in raw material, we have temporarily removed prices from our Good Fencing Guide. To see our latest prices, view our Louvre fence panels on our website by scanning the QR code.

Venetian Panels

One of our most popular styles and a favourite of garden designers. The strikingly attractive Venetian panel is another panel ideal for creating a dramatic light and shade effect in your garden as it allows light to pass between its horizontal slats.



Panels shown with optional capping rails.

These slatted panels create a contemporary fence that is less imposing than solid panels, making gardens feel larger. They are designed for use with our slotted Jakposts, see pages 48 - 49, and manufactured from superior quality, planed finish Jakcure® treated softwood.



We also use stainless steel fixings throughout for longer life. Six panel heights are available, all at 1.83m wide. A panel width cut-down kit is also available. Spacing between pales - 15mm.

For matching gates please see page 69.

To meet the conditions of the 25-year Jakcure® guarantee, gravel boards are required where panels are in contact with the ground, see pages 50 - 51, and any timber cut on site must be treated with Jakcure® Cut Treatment, see page 53.

Venetian Panels (1.83m wide)

Height	Ref	Cut width kit	
		Ref	
0.61m	657000 ●	657000CK ●	
0.91m	657100 ●	657100CK ●	
1.22m	657200 ●	657200CK ●	
1.52m	657300 ●	657300K ●	
1.65m	657350 ●	657350K ●	
1.83m	657400 ●	657400K ●	

Always use Jakcure® Cut Treatment on cut timber, see page 53.

● Stock items



Jacksons supplied excellent quality fence panels, I thought they were a bit expensive, but now they are installed, I'm pleased we spent the extra money. Good solid panels no splits, no bits missing, no knots that have fell out and left a big hole, just good solid panels. Considered painting them but decided against it as they look too nice as they are!

Trev, July 2019



Due to the erratic price changes in raw material, we have temporarily removed prices from our Good Fencing Guide. To see our latest prices, view our Venetian fence panels on our website by scanning the QR code.

Venetian Hit & Miss Panels

Just like our original Venetian panel, the frameless Venetian Hit and Miss panel retains a contemporary and sleek look that complements both modern and traditional gardens.



Here our Venetian Hit & Miss are installed with two 0.907m panels stacked to create a 1.807m high panel. Photo also shows recommended capping.



Venetian Hit and Miss panels are part of our ‘good-both-sides’ range and feature horizontal slats on both sides of the panel with an over-lap which means air and light can still pass through, but visibility through the panel is largely obscured.



Constructed using 45mm x 16mm horizontal slats with a gap between the slats of approximately 30mm (which is larger than standard Venetian).

Venetian Hit and Miss panels are designed for use with our slotted Jakposts, see pages 48 - 49, and manufactured from superior quality, planed finish Jakcure® treated softwood, guaranteed for 25 years. Stainless steel fixings are used throughout for longer life.

The additional slats required to make these panels ‘good-both-sides’, also makes them quite heavy, so for ease of handling we offer them in two heights both at 1.83m wide. You can also cut panel widths on site using the specified cut down kit below. To achieve a taller fence, the panels can be stacked - for example stacking two 0.907m panels will give you 1.81m high.

We recommend using capping rails to add the finishing touch to these frameless panels. For matching garden gates please see page 68.

Please note: badges must be installed on same side to ensure alignment of pales both sides.

To meet the conditions of the 25-year Jakcure® guarantee, gravel boards are required where panels are in contact with the ground, see pages 50 - 51, and any timber cut on site must be treated with Jakcure® Cut Treatment, see page 53.

Venetian Hit & Miss Panels (1.83m wide)

		Cut width kit	
Height	Ref	Height	Ref
0.607m	657806 ●	0.607m	657806K ●
0.907m	657809 ●	0.907m	657809K ●

If you have to cut down a panel on site then use the above kit references. Always use Jakcure® Cut Treatment on cut timber, see page 53.

● Stock items



Did You Know:

There is no need to apply any further timber protection treatment to your Jacksons’ Jakcure® treated product. Some customers might want to add colour to their Jacksons products. In these cases, please be aware that timber will naturally take a while to dry, during which, natural shrinkage can occur, so we recommend that you don’t apply any colour coatings until the timber is fully dry and stable.



Due to the erratic price changes in raw material, we have temporarily removed prices from our Good Fencing Guide. To see our latest prices, view our Venetian fence panels on our website by scanning the QR code.

Aran Panels

The Aran panel is one of our ‘good-both-sides’ designs and features slats of different widths, intertwined to create a unique and attractive traditional style.



The interwoven design not only creates subtle light and shade effects in your garden but also means that both you and your neighbour benefit from the best looking side of the fence with almost as much privacy as you would expect from a solid panel.



Aran panels are designed for use with our slotted Jakposts, see pages 48 - 49, and manufactured from superior quality, planed finish Jakcure® treated softwood, guaranteed for 25 years.

Stainless steel fixings are used throughout for longer life. Available as a 1.83m high by 1.83m wide panel. Our Woven gates complement this panel (pages 64 - 71).

To meet the conditions of the 25-year Jakcure® guarantee, gravel boards are required where panels are in contact with the ground, see pages 50 - 51, and any timber cut on site must be treated with Jakcure® Cut Treatment, see page 53.

Aran Panels (1.83m wide)

		Cut width kit	
Height	Ref	Height	Ref
1.83m	656618 ○	1.83m	656600K ●

If you have to cut down a panel on site then use the following kit reference. Always use Jakcure® Cut Treatment on cut timber, see page 53.

● Stock items. ○ Made to order (cannot be cancelled once ordered)



“

Purchased a 6ft single fence panel and a side gate (along with posts, gravel board etc) which were delivered within the specified time, in fact it came a couple of days earlier. The delivery driver helped to offload the fences to a safe place to the side rather than just dump it on the front driveway which some other companies do. The product quality is fantastic with a neat finish and reasonably priced. Really pleased with the purchase and would definitely use them again.

Assad F, June 2018



Due to the erratic price changes in raw material, we have temporarily removed prices from our Good Fencing Guide. To see our latest prices, view our Aran fence panels on our website by scanning the QR code.

Mitre Panels

Inspired by our traditional Palisade fence panels, the Mitre panel features 45mm x 16.5mm pales with an elongated curved top for a traditional picket design with a little more elegance, making it equally at home in a rural or urban setting.



It's perfect for front gardens or situations where natural light takes priority over privacy. Mitre panels are designed for use with our slotted Jakposts, see pages 48 - 49, and manufactured from superior quality, planed finish Jakcure® treated softwood, guaranteed for 25 years.



Stainless steel fixings are used throughout for longer life. Available as a 1.00m or 1.20m high by 1.83m wide panel.

To meet the conditions of the 25-year Jakcure® guarantee, gravel boards are required where panels are in contact with the ground, see pages 50 - 51, alternatively pales can be installed 50mm clear of the ground. Any timber cut on site must be treated with Jakcure® Cut Treatment, see page 53.

Mitre Panels (1.83m wide)

Height	Ref
1.00m	229010 ○
1.20m	229012 ○

Gate Options	Ref
0.95m RH Gate	229100 ○
0.95m LH Gate	229110 ○
1.15m RH Gate	229200 ○
1.15m LH Gate	229220 ○

○ Made to order (cannot be cancelled once ordered)



“

The gate and posts I ordered are very good quality and the instructions provided meant I could install them easily. They were delivered promptly and the delivery man was really helpful and friendly. I'm very pleased with the finished result which enhances my property.

Ray Cranston, November 2019



Due to the erratic price changes in raw material, we have temporarily removed prices from our Good Fencing Guide. To see our latest prices, view our Mitre fence panels on our website by scanning the QR code.

Metro Panels

Metro was designed to make gardens feel longer - a modern take on our Venetian panels, posts are installed behind panels to create a continuous look, offering a sleek, slatted fence that is less imposing than a solid design.



Panels shown with recommended capping rails.

Metro is a semi-solid decorative panel, ideal for creating a lighter garden where privacy is not an issue. This panel has been designed with an urban motif in mind, featuring singular pales, similar to our Venetian panels.



The key difference is that the fence posts are less visible, meaning that, when installed, the panel will appear as continuous slats, rather than a run of individual panels.

This style of panel has been designed to make gardens appear longer. Nevertheless, this panel has the ability to modernise and blend into country gardens with its contemporary design.

Constructed from Jakcure® treated softwood, the Metro Panels use our 91mm x 91mm square planed posts with stainless steel nails used throughout for longer life. Constructed using 45mm x 16mm horizontal slats with a gap between the slats of approximately 30mm (which is larger than standard Venetian).

Please note: Venetian gates complement this panel (see page 69), although Venetian has 15mm spacing and these panels have 30mm spacing.

Gravel boards need to be used when panels are in contact with the ground as part of the 25 year Jakcure® guarantee conditions. This panel uses a unique gravel board (see below).

0.907m high - 12 pales 45mm x 16mm (Venetian section).
0.607m high - 8 pales 45mm x 16mm 1.82m wide.
2 no. vertical battens 45mm x 34mm, 2 no. 45mm x 16mm.

Please ask for advice when installing panels into a corner as internal battens will be required.

Metro Panels (1.83m wide)

		Cut width kit	
Height	Ref	Height	Ref
0.607m	657906 ○	0.607m	657906K ○
0.907m	657909 ○	0.907m	657909K ○
		Ref	
Gravel Board		667620 ○	
Metro Panel Internal Corner Batten 1.80m long		667300C	

○ Made to order (cannot be cancelled once ordered)



Did You Know:


There is no need to apply any further timber protection treatment to your Jacksons Jakcure® treated product. Some customers might want to add colour to their Jacksons products. In these cases, please be aware that timber will naturally take a while to dry, during which, natural shrinkage can occur, so we recommend that you don't apply any colour coatings until the timber is fully dry and stable.



Due to the erratic price changes in raw material, we have temporarily removed prices from our Good Fencing Guide. To see our latest prices, view our Venetian Metro fence panels on our website by scanning the QR code.

Chilham Panels

It's a challenge to design a solid timber fence that looks equally 'good on both sides'. However, our Chilham panels manage just that, in a unique design, free from horizontal rails that could spoil either yours or your neighbour's view.



Panelsshownwith Premier Square Trellis Topper

Our Chilham fencing presents an attractive 'panelled' appearance at home in a contemporary garden and due to its construction, is sturdy too. It looks equally at home in a traditional English cottage garden setting as it does in a sleek urban setting.



Chilham panels are designed for use with our slotted Jakposts, see pages 48 - 49, and manufactured from superior quality, planed finish Jakcure® treated softwood, guaranteed for 25 years.

Stainless steel fixings are used throughout for longer life. Four panel heights available, all at 1.83m wide and for matching gates see page 69.

To meet the conditions of the 25-year Jakcure® guarantee, gravel boards are required where panels are in contact with the ground - pages 50 - 51, and any timber cut on site must be treated with Jakcure® Cut Treatment, see page 53.

Chilham Panels (1.83m wide)

		Cut width kits	
Height	Ref	Height	Ref
0.91m	656000 ●	0.91m	656000K ●
1.22m	656100 ●	1.22m	656100K ●
1.52m	656200 ●	1.52m	656200K ●
1.65m	656165 ●	1.65m	656165K ●

● Stock items



Panels shown with optionalAcorn postcaps

“

Ordered fencing and posts very easily online. Order confirmed within minutes. Communication was very good regarding delivery. Delivered on the right day and time, quality excellent.

Caroline, October 2019.



Panels shown with optional capping rails.



Due to the erratic price changes in raw material, we have temporarily removed prices from our Good Fencing Guide. To see our latest prices, view our Chilham fence panels on our website by scanning the QR code.




Panels shown with optionalAcorn postcaps

Woven Panels

Part of our 'good-both-sides' panels range, Woven is designed with the traditional interwoven styles of the past in mind.



As with all Jacksons panels, they are constructed from Jakcure® pressure treated softwood and framed for use with slotted Jakposts, making them far stronger than traditional versions of this style of fencing.



Woven panels feature substantial 38mm x 7mm planed pales that maintain the structural integrity of the panel which are then fitted into a strong frame.

Mid rails are less obtrusive by design, so you and your neighbours are both winners. Other benefits of our Woven panel is that it creates amazing dappled light and shade effects and, while it provides a high level of privacy, wind resistance is lowered due to air being able to pass through the spaces between the slats.

Woven panels are designed for use with our slotted Jakposts, see pages 48 - 49, and manufactured from superior quality, planed finish Jakcure® treated softwood, guaranteed for 25 years. Stainless steel fixings are used throughout the fencing for longer life.

Four panel heights available, all at 1.83m wide along with a panel width cut-down kit.

For matching gates please see page 69.

To meet the conditions of the 25-year Jakcure® guarantee, gravel boards are required where panels are in contact with the ground, see pages 50 - 51, and any timber cut on site must be treated with Jakcure® Cut Treatment, see page 53.

Woven Panels (1.83m wide)

		Cut width kits	
Height	Ref	Height	Ref
0.91m	656700 ■	1.83m	656600K ●
1.22m	656800 ■		
1.52m	656500 ●		
1.83m	656600 ●		

If you have to cut down a panel on site then use the above kit reference. Always use Jakcure® Cut Treatment on cut timber, see page 53.

● Stock items ■ Check for availability



Inspirational

Many thanks to our customers who have shared their projects with us, without these inspirational images it would be difficult for us to show you the many ways that our products can be used.

If you have any photos of our products in your garden projects we'd love to see them, please email: pics@jacksons-fencing.co.uk



Due to the erratic price changes in raw material, we have temporarily removed prices from our Good Fencing Guide. To see our latest prices, view our Woven fence panels on our website by scanning the QR code.

Canterbury Combi Panels

These premium contemporary panels combine the style of two of Jacksons’ most popular products: horizontal Tongue and Groove, and our ever-popular Venetian, hand crafted from pressure treated timber.



Canterbury Combi lends a sleek, modern and linear look to any garden, with the added benefits of privacy and protection from the wind that some customers may prefer. Please note the slatted pale spacing is different on these panels when compared with a standard Venetian panel.



Great quality fence, looks great, delivery was spot on and. Will order from them again.
Darren Cremins, July 2020.

Canterbury Combi panels are designed for use with our slotted Jakposts, see pages 48 - 49, and manufactured from superior quality, planed finish Jakcure® treated softwood, guaranteed for 25 years and fitted with stainless steel fixings throughout for longer life.

Available panel size is 1.83m high x 1.83m wide along with a panel width cut-down kit.

For matching gates please see pages 64.

To meet the conditions of the 25-year Jakcure® guarantee, gravel boards are required where panels are in contact with the ground - pages 50 - 51, and any timber cut on site must be treated with Jakcure® Cut Treatment, see page 53.

Please Note: from February 2018 our Canterbury Combi panels have been modified to ensure a contemporary design. Should you require panels as per our pre-February 2018 design please do let us know.

Canterbury Combi Panels (1.83m wide)

Level Top		Cut width kits	
Height	Ref	Height	Ref
1.83m	658018 ●	1.83m	658018K ●

If you have to cut down a panel on site then use the above kit reference. Always use Jakcure® Cut Treatment on cut timber, see page 53.

● Stock items ■ Check for availability



Due to the erratic price changes in raw material, we have temporarily removed prices from our Good Fencing Guide. To see our latest prices, view our Canterbury Combi fence panels on our website by scanning the QR code.

Urban Panels

Combining wide and narrow timber pales, Urban is a contemporary panel with a distinctive design, ideal for a variety of applications. Mortice and tenoned for extra strength, these panels are planed all round for a smooth finish, with stainless steel fixings throughout to ensure a long life.



Built using our Hit and Miss pales combined with our Woven slats this panel has been designed to offer a look good one both sides. Urban can also be rotated so the pales run vertically and installed in the same way.



Fantastic product. Good quality timber used to make the fence panels and measurements were all spot on. Thank you too for a speedy delivery.

Matthew Thomas, October 2019.

Urban panels are designed for use with slotted Jakposts, see pages 48 - 49, and manufactured from superior quality, planed finish Jakcure® treated softwood, guaranteed for 25 years.

Pale sizes are 95mm x 8mm and 38mm x 7mm.

Available panel size is 1.83m high x 1.83m wide along with a panel width cut-down kit. These panels can also be rotated so pales run vertically.

For matching gates please see pages 68 - 69.

Please note: badges must be installed facing the same way to ensure alignment of pales on both sides.

To meet the conditions of the 25-year Jakcure® guarantee, gravel boards are required where panels are in contact with the ground - pages 50 - 51, and any timber cut on site must be treated with Jakcure® Cut Treatment, see page 53.

Urban Panel (1.83m wide)

Level Top		Cut width kits	
Height	Ref	Height	Ref
1.83m	685418 ■	1.83m	634000K ●

If you have to cut down a panel on site then use the following kit reference. Always use Jakcure® Cut Treatment on cut timber, see page 51.

■ Check for availability



Due to the erratic price changes in raw material, we have temporarily removed prices from our Good Fencing Guide. To see our latest prices, view our Urban fence panels on our website by scanning the QR code.

Shadowline Panels

Built with architectural cladding in mind, our Shadowline Panel has a modern unique profile which provides a dynamic central shadow gap between each board, free of any visible fixings, to provide a seamless contemporary finish.

These contemporary panels offer you the option to install a solid privacy style fence with no lines of sight through the panel which creates a clear shadow line between each board.



All panels shown with recommended capping rails.

Our Shadowline Panel offers a modern and contemporary clad design, similar to Tongue and Groove, and is highly recommended for homeowners looking for something a bit different.



Shadowline panels are constructed using ‘Z shaped’ 144mm x 26mm horizontal boards which overlap. Each panel is manufactured using 4x 70mm x 24mm back rails.

Our Shadowline panels are designed for use with our slotted Jakposts, see pages 48 - 49, and manufactured from superior quality, planed finish Jakcure® treated softwood, guaranteed for 25 years. Stainless steel fixings are used throughout for longer life.

Our 0.66m high panels are made with 5 boards.
Our 0.91m high panels are made with 7 boards.
Panels are 1.83m wide.

To achieve a taller fence, the panels can be stacked - for example stacking 2x 0.91m panels will give you 1.8m high approx. You could use 2x 0.66m panels for a 1.3m high panel approx or alternatively combine one of each height for 1.55m. It is not obvious in any way that these panels are stacked and once installed they will appear as one continuous panel.

We recommend using capping rails to add the finishing touch to these frameless panels. For garden gate options please ask.

To meet the conditions of the 25-year Jakcure® guarantee, gravel boards are required where panels are in contact with the ground, see pages 50 - 51, and any timber cut on site must be treated with Jakcure® Cut Treatment, see page 53.

Shadowline Panel (1.83m wide)

Height	Ref	Cut width kit	
		Height	Ref
0.66m	658606 ■	0.66m	658606K ■
0.91m	658609 ■	0.91m	658609K ■

■ Check for availability



Excellent delivery driver, helped me out tremendously. Very friendly. The fences and extras themselves are a very high standard. Would recommend and order again with Jacksons.


M Spencer, November 2019.



Due to the erratic price changes in raw material, we have temporarily removed prices from our Good Fencing Guide. To see our latest prices, view our Shadowline fence panels on our website by scanning the QR code.

Jaktop Panels

Our Jaktop panels and gates grace many front gardens in rural and suburban areas and offer a decorative alternative to palisade or picket style fencing.



The criss-cross pattern constructed using half round timber pales gives the panels a very distinctive look while the addition of sturdy rails and vertical end pales create a fixed panel suitable for use with slotted Jakposts, see pages 48 - 49.



“
This is my second project using Jacksons, the quality of the fencing is the best and I could not find anything that got near to the quality of the fencing supplied. Very helpful when ordering and also offering advice. Delivery was within the specified time and I had a call from the driver prior to my delivery being made.
Graham Harvey, August 2019.



Additionally, Jaktop panels need to be mounted a minimum clear of the ground. Stainless steel fixings are used throughout for longer life.

Available in two heights at 1.83m wide. Jaktop panels can be cut to width on site, with the original side batten re-used.

For matching gates please see page 70.

Please note: this product can be installed without the use of gravel boards providing there is at least a 50mm ground clearance and/ or the item remains unaffected by any debris. However to meet the conditions of the 25-year Jakcure® guarantee, gravel boards are required where panels are in contact with the ground - pages 50 - 51. Any timber cut on site must be treated with Jakcure® Cut Treatment, see page 53.

Jaktop Panels (1.83m wide - for use with slotted posts)

Height	Ref
0.86m	600600 ■
1.20m	600700 ■

■ Check for availability

Due to the erratic price changes in raw material, we have temporarily removed prices from our Good Fencing Guide. To see our latest prices, view our Jaktop fence panels on our website by scanning the QR code.

Palisade Panels

Palisade is a classic and enduring style of garden fencing that is also known as picket fencing and is available with pointed or rounded pales.



Palisade panels are designed for use with our slotted Jakposts, see pages 48 - 49 and manufactured from superior quality, planed finish Jakcure® treated softwood, guaranteed for 25 years and complete with stainless steel fixings throughout for longer life.



“
As a previous customer and now as a registered installer of their fencing, I can honestly say that we are full converts to their far superior products, there is simply no better fencing and the service is equally good.
Bowood Landscapes, August 2019.

For matching gates please see pages 70.

To meet the conditions of the 25-year Jakcure® guarantee, gravel boards are required where panels are in contact with the ground, see pages 50 - 51, alternatively panels can be installed 50mm clear of the ground. Any timber cut on site must be treated with Jakcure® Cut Treatment, see page 53.

All panels are 1.83m wide. Pales are 22mm x 75mm nominal section planed to finish at 19mm thick. Pale tops are machined. Each panel is backed by two substantial rails which have been fully planed.

Palisade Level Top Panels (1.83m wide)

Rounded Tops			Pointed Tops		
Height	Ref		Height	Ref	
1.00m	223500	●	1.00m	224500	■
1.20m	223600	●	1.20m	224600	○

Panels can be cut to width on site without the need for a cut width kit. Always use Jakcure® Cut Treatment on cut timber, see page 53.

- Stock items ■ Check for availability
- Made to order (cannot be cancelled once ordered)



Due to the erratic price changes in raw material, we have temporarily removed prices from our Good Fencing Guide. To see our latest prices, view our Palisade fence panels on our website by scanning the QR code.