

Heavy Metal Field Gates

A heavy duty gate is essential for any farm, field or agricultural setting. Our high quality heavy metal field entrance gates are available in a range of designs and sizes. We offer a selection of two styles of metal field gates available singularly or in pairs with a choice of drop bolts. They arrive in a galvanised finish.



The top and bottom rails are 41.5mm tube, with middle rails which are 32mm tube.



Specification: Gates are 1.15m high. Hanging stile of 50mm x 25mm box section. Slam stile of 50mm x 25mm box section. Top and bottom rails 41.5mm tube, with middle rails 32mm tube. Fittings include adjustable hinges and padlockable sliding latch. Also available with welded mesh cladding, (600mm high x 50mm x 50mm x 4mm) to the bottom part of the gate, please see below.

Heavy Metal Field Gates

Length	Standard Un-clad Ref	Clad with Wire Mesh Ref
1.20m	440800 ○	440880BM ●
2.10m	441100 ○	441110BM ●
2.40m	441200 ○	441220BM ●
2.70m	441300 ○	441330BM ●
3.00m	440200 ●	440220BM ●
3.30m	440300 ●	440330BM ●
3.60m	440400 ●	440440BM ●
4.20m	440500 ●	440550BM ●
4.60m	440600 ●	440660BM ●

Welded mesh should normally be clad to inside of the gate with bracing on outside to avoid animals climbing up the rails. Please also note: Any metal field gate clad with mesh should be hung on 114mm diameter posts.

Drop Bolts and Loop Over Catches

Description	Ref
Drop bolt	453880 ●
Loop over catch	453700 ●

Drop bolts and loop over catches are available for self fitting if pairs are required.



Excellent quality fence. Helpful and friendly staff.
Delivered on time. Can't really ask for more!
Phill Nicholls, October 2023

Hanging Posts

Description	Ref
1.875m long x 89mm Diameter	453200 ●
1.875m long x 114mm Diameter	453100 ●

89mm diameter posts should be used up to 3.30m wide 114mm diameter posts should be used on 3.30m wide and above.

Slam Posts

Description	Ref
1.80m long 88.9mm Diameter	453600 ●

● Stock items ○ Made to order (cannot be cancelled once ordered)



To see our latest prices, view our Heavy Metal Field Gates on our website by scanning the QR code.

Estate Railings & Gates

Estate fencing has a classic style that everyone associates with country parks and rural estates.

Our traditional estate fencing is ideal for use as a continuous boundary fence in parkland, paddocks, deer parks, estates or estate grounds. Our estate fencing and gates are made from hot dip galvanised tubular steel for strength and longevity, and are available in a natural silver finish or powder coated black as standard. Other colours are available on request.



Our Estate Fencing is ideal for use on uneven ground as it follows the contours of the ground and can easily be stepped. Please note: panels can only be stepped, not raked. Images show optional black PPC finish.



Powder coated in RAL 9005

We have improved the traditional fence design and created an economical, modern, tubular version that is stronger, lighter and virtually maintenance free. All of our steel fencing is galvanised and has a 25 year service life guarantee.

Metal Estate Railing Fencing

Description	Ref
Panel 2.00m wide overall x 1.20m high above finished ground level. End posts/uprights 50mm x 25mm RHS (end posts are drilled with 2 holes for bolting to the next panel). Product is Black PPC as standard, please call for galvanised only or other colours.	979810 ○
End post for cut back panel	979811 ○
M8 x 65 Coach Bolt (2 per panel)	804100 ○
M8 washers	073304 ○

Estate Railing Gates

Manufactured from the same high quality materials and with all the same benefits as the Estate Railings, this elegant gate is ideal for use with railings or in the place of any metal field gate. The graceful crook with the diagonal strengthening brace adds an attractive feature.

Any metal field gate clad with mesh should be hung on 114mm diameter posts.

Estate Railing Gates

Description	Ref
1.20m wide	079400BM ○
3.00m wide	079500BM ○
3.60m wide	079600BM ○
Galvanised as standard, powder coating available as an option - please ask. Posts are filled with heavy duty black plastic infills, for all colours including galvanised.	

○ Made to order (cannot be cancelled once ordered)



Powder coated in RAL 6005



To see our latest prices, view Estate Railings and Gates on our website by scanning the QR code.

Post & Rail Nailed

This highly durable and versatile fencing comprises of machine rounded half round vertical posts, with three horizontal machine rounded half round rails nailed to the flat face of the posts. All timber is guaranteed for 25 years against rot and insect attack.



To see our latest prices, view our Post & Rail Nailed on our website by scanning the QR code.

Post and Rail Nailed fencing is a robust agricultural style system which can have 2, 3, or 4 rails depending on what is required.



Square Post & Rail Fencing

Allow one post for every 1.80m of fence, plus one for the end of the run. This traditional versatile fencing consists of machine rounded half round posts, with three horizontal machine rounded half round rails, nailed to the flat face of the square posts.

Allow three rails for every 3.60m of 3-rail fencing.

All timber used throughout is superior quality Jakcure® treated softwood guaranteed for 25 years.

Recommendation: When erecting post and rail fencing in the Summer it is advisable to set posts in concrete as it is very difficult or impossible to ram dry soil tight.

Machine Rounded, Half Round Posts

Description	Ref	
1.80m 125mm face	150110 ●	
2.40m 125mm face	131300 ●	

(2.40m posts are recommended for use in soft ground or a 1.50m high fence).

Machine Rounded, Corner Posts

Jakcure® treated softwood with two sawn flat sides from round post of 125mm diameter.

Length	Ref	
1.80m	130550 ●	

Half Round Rails

Machine rounded half round Jakcure® treated rails.

Description	Ref	
3.60m long with 100mm face	135000 ●	



We purchased a post and rail fence and a 5-bar gate from Jacksons Fencing 34 years ago - they are still in very good order with no rot at all. Therefore, when needing a new fence in a different part of our garden, our decision to choose Jacksons Fencing was our instant choice.

Ronald Broughton, July 2023

Sawn Square Post & Rail Fencing

This sturdy fencing consists of sawn square section posts, with three horizontal rails, nailed to the posts. There is a choice of either half round rails or sawn square section rails.

Allow one post for every 1.80m of fence, plus one for the end of the run. Allow three rails for every 3.60m of 3-rail fencing.

Sawn Square Posts

Length	Ref	
1.80m	170100 ●	
2.10m	170500 ●	
2.40m	170600 ■	

125mm x 75mm section, weathered one way. Sawn finish. For corners use ordinary posts.

Square Rails

100mm x 38mm section. Sawn finish.

Length	Ref	
3.60m long	170200 ●	
4.00m long	170210 ■	

For Arenas

Description	Ref	
3.60m x 150mm x 38mm Containing Boards	170400 ●	
4.00m x 150mm x 38mm Containing Boards	170410 ●	
3.60m x 150mm x 25mm Splash Boards	170800 ●	
3.60m long x 100mm diameter Jumping Poles (not for in-ground use)	131800 ●	
3.60m x 100 x 38mm Square Rails Sawn finish	170200 ●	
4m x 100 x 38mm Square Rails Sawn finish	170210 ■	

Nails

Description	Ref	
1kg Tub of 100mm Galvanised Wire Nails	800310 ●	
5kg Tub of 100mm Galvanised Wire Nails	800350 ●	

● Stock items ■ Check for availability
○ Made to order (cannot be cancelled once ordered)

Post & Rail Morticed

This attractive fencing consists of sawn square section posts, with three or four horizontal square section rails, morticed into the posts, complete with our 25 year guarantee.



There are additional prick posts in between the posts at the mid bay point to give extra support.



Image showing intermediate post in Post & Rail Morticed system

Allow one post and one prick post for every 2.85m of fence, plus one post for the end of the run. Allow three rails per 2.85m run of 3-rail fence, and four rails per 2.85m of 4-rail fence.

All timber used throughout is superior quality Jakcure® treated softwood guaranteed for 25 years. The morticed posts have a galvanised gangnail embedded in the top to reduce splitting of the timber.

All fixings are heavily galvanised.

Posts

125mm x 75mm section, weathered one way. Mortices 100mm x 40mm centred at 150mm, 530mm, 885mm and 1190mm from top of post. Sawn finish.

Length	Ref
1.80m (3 Mortices)	190200 ●
2.10m (4 Mortices)	190700 ○

Square Rails

100mm x 38mm section, scarfed at both ends.

Length	Ref
3.00m	190300 ●



To see our latest prices, view our Post & Rail Morticed on our website by scanning the QR code.



Prompt service and excellent product quality. It is perfect for my alpaca paddock. Thank you.

Jan Smith, November 2023

Corner Posts

125mm x 125mm section, weathered two ways. Sawn finish.

Length	Ref
1.80m (3 Mortices)	190600 ●
2.10m (4 Mortices)	190800 ○

Prick Posts

100mm x 38mm section, pointed with a sawn finish.

Length	Ref
1.50m long	190400 ●
1.80m long	190900 ○

Nails

Description	Ref
1kg Tub of 100mm Galvanised Wire Nails	800310 ●
5kg Tub of 100mm Galvanised Wire Nails	800350 ●
25kg Carton of 100mm Galvanised Wire Nails	800300 ●

Allow 11kg for 200m of 3-rail fence and 14kg for 200m of 4-rail fence. Approximately 77 nails per kg.

● Stock items ○ Made to order (cannot be cancelled once ordered)

Chain Mesh Fence

For absolute economy and horse security this fence is highly recommended. It comprises half round vertical posts, machine rounded and pointed. One half round horizontal rail at the top of the fence and galvanised chain link below.



- All timber used throughout is superior quality Jakcure® treated softwood guaranteed for 25 years.
- Specially designed with horse safety in mind.
- Galvanised mesh for longer life.
- Smaller holes in mesh to stop horses’ feet becoming caught in wire and causing injuries.
- Superb value.

Allow one post for every 1.8m of fence plus one for the end of the run. Allow one top rail per 3.60m of fence and one 25m roll of 0.90m chain link per 25m run.

Posts

Half round softwood, machine rounded and pointed 125mm across the face.

Length	Ref
1.80m	150110 ●

Half Round Rails

Half round, machine rounded 100mm across face.

Length	Ref
3.60m	135000 ●

Chain Link

50mm mesh conforms to B.S. 1722 Part 1, galvanising conforms to BS EN 10224, wire used is to BS EN 10233. Line wire is supplied with each roll.

Description	Ref
25m roll, height 0.90m, 2.5mm gauge	300100 ●

Corner Posts

Two sawn flat sides from round posts of 125mm diameter.

Length	Ref
1.80m	130550 ●

Staples / Nails

We suggest you use galvanised (barbed) staples 30mm x 3.15mm which would require 3kg. per 200m & 100mm galvanised wire nails 4kg. galvanised ring clips - sufficient for 200m. See page 154.

● Stock items

Fencing Stakes & Posts

This is a versatile and hard wearing general purpose fence suitable for a multitude of agricultural situations. With our Jakcure® treated stakes and galvanised wire it’s long lasting too. All timber used throughout is superior quality Jakcure® treated softwood guaranteed for 25 years.



Machine Rounded Fencing Stakes

Pointed, with chamfered tops.

Length	Ref
1.50m long, 75mm diameter	091800 ■
1.65m long, 75mm diameter	091900 ■
1.80m long, 75mm diameter	092000 ■
1.65m long, 90mm diameter	093200 ■
1.80m long, 90mm diameter	093300 ■

Machine Rounded, with Chamfered Tops

Length	Ref
2.10m long x diameter 150mm pointed	093050 ■
2.40m long x diameter 150mm pointed	093055 ■

Straining Posts and struts should be installed at a maximum of every 50m and at all changes of direction and significant changes of level. Intermediate posts for mild steel fencing at 1.80m centres - suitable for all agricultural applications.

Struts

Machine rounded and a minimum diameter of 60mm Jakcure® treated timber.

Length	Ref
1.80m	114900 ■

For Stock (or cattle) Fence

We also supply wire fencing, wire fencing and netting see page 130, and barbed wire see page 141. Staples and galvanised straining eye bolts and tools pages 154 - 158.

● Stock items ■ Check for availability

Wire Fencing & Netting

Ideal for many applications including protecting small animals and creating cages, or protecting machinery. In some instances it may be used as agricultural fencing.



To view our latest prices, visit Wire Fencing and Netting on our website by scanning the QR code.

Hexagonal Wire Netting

Mesh (50m rolls)	Wire Gauge	600mm (H) Ref	900mm (H) Ref	1050mm (H) Ref	1200mm (H) Ref	1800mm (H) Ref
25mm	20	–	193100 ●	–	193300 ●	193400 ●
31mm	19	193900 ●	–	194100 ●	194200 ●	–
31mm	18	–	–	194600 ○	194700 ○	–
50mm	19	195700 ●	195900 ●	–	196000 ●	196200 ●

Suggestions for use: 25mm: plastering and floor screeding; chicken runs. 31mm: protection against the smallest rabbits. 50mm: poultry; general purpose.

Plain Wire (Mild Steel Galvanised)

Size (25kg coils)	Length	Ref
● 5.00mm (6g.)	162m approx.	321000 ■
● 4.00mm (8g.)	254m approx.	321100 ●
● 3.15mm (10g.)	410m approx.	321200 ●
● 2.5mm (12g.)	651m approx.	321300 ●
● 2.0mm (14g.)	1017m approx.	321400 ●
● 1.6mm (16g.)	1590m approx.	321700 ■

Size (5kg coils)	Length	Ref
● 3.15mm (10g.)	82m approx.	323100 ●
● 2.5mm (12g.)	130m approx.	323200 ●
● 2.0mm (14g.)	203m approx.	323300 ●

High Tensile Wire (Galvanised)

Size	Length	Ref
● 3.15mm (10g.)	410m approx.	321500 ●
● 2.5mm (12.5g.)	651m approx.	321550 ●

Barbed Wire (Galvanised)

Our galvanised double strand barbed wire available in 200m with barbs at 100mm centres.

Size	Length	Ref
● 2.5mm	200m approx.	321600 ●
● 1.6mm high tensile	200m approx.	321660 ●



Gripples

Type	Ref
Griptide Wire Tensioning Tool	326900 ●
Griptide Wire Joiner: Ideal for joining both Mild & High Tensile steel wire 1.6mm-3.2mm & High Tensile barbed wire.	326800 ●
Griptide for mild steel barbed wire	326880 ●

● Stock items ■ Check for availability


Galvanised Stock Fencing

(manufactured to BS EN 10223)

- Galvanised wire field fences that are strong, durable & economical
- Wire fencing types 1-4 are coated with Galfan®, highly corrosion resistant zinc and aluminium alloy - Laboratory tests have shown these to last twice as long as ordinary galvanised wires.
- Supplied in 50m as standard or 100m rolls for high tensile.

1 Cattle or Stock Fence (1.15m (Galfan® coated)

Available in medium weight. Eight line wires and uprights 300mm apart.

Type	Wire diameter		Ref
	Top & Bottom	Intermediate	
C8/11/30	3.0mm	2.5mm (50m rolls)	320200 

2 Pig Fence (800mm (Galfan® coated)

Eight line wires and uprights 150mm apart (also lamb proof).

Type	Wire diameter		Ref
	Top & Bottom	Intermediate	
Medium C8/80/15	3.0mm	2.5mm (50m rolls)	320400 ●
High Tensile* HT8/80/15	All wires	2.5mm (100m rolls)	320440 ●

3 Sheep Fence (900mm (Galfan® coated)

Six line wires & uprights 300mm apart.

Type	Wire diameter		Ref
	Top & Bottom	Intermediate	
Heavy B6/90/30	4.0mm	3mm (50m rolls)	320700 ●
Medium C6/90/30	3.0mm	2.5mm (50m rolls)	320800 ●

Tree and Netting Stakes

Jakcure® treated tree stakes are machine rounded in two sizes 60mm and 75 diameter, and are available in lengths of up to 3m. A minimum of 22.3kg/m2 of preservative is used because of presence in the soil of fertilizers and dressings used in the modern orchard.

The Jakcure® treatment process meets fruit growers' specifications, and depth of penetration makes the timber last longer, meaning strong stakes that will provide the best support. All timber is Jakcure® treated softwood guaranteed for 25 years.

When its time to overhaul orchards, and replace any rotten or worn tree stakes, replacing them all with Jacksons stakes will mean you will have good strong stakes that will standing for longer, and this means you will save money by not having to replace them as soon as ordinary non Jakcure® stakes, our stakes are guaranteed for 25 years.

1	12"	9"
230	9"	
200	8"	
180	7"	
150	6"	
140	5.5"	
130	5"	
115	4.5"	
3	12"	9"
230	9"	
200	8"	
180	7"	
150	6"	
140	5.5"	
5	6"	10.5"
260	10.5"	
220	8.5"	
220	8.5"	
200	8"	
180	7"	
150	6"	
140	5.5"	
130	5"	
115	4.5"	
100	4"	
80	3.25"	
80	3.25"	
2	6"	9"
150	6"	
140	5.5"	
130	5"	
115	4.5"	
100	4"	
90	3.5"	
75	3"	
4	6"	9"
230	9"	
200	8"	
180	7"	
150	6"	
140	5.5"	
130	5"	

4 Forest Fence (1.00m (Galfan® coated)

Seven line wires, uprights 150mm apart.

Type	Wire diameter		Ref
	Top & Bottom	Intermediate	
Medium C7/10/15	3.0mm	2.5mm (50m rolls)	325500 ●

5 Deer Fence (1.90m (Galfan® coated)

Vertical wires 150mm apart for perimeter fencing.

Type	Wire diameter		Ref
	Top & Bottom	Intermediate	
High Tensile 13/190/15 (close uprights)	2.5mm	2.5mm (100m rolls)	325600 ●

Tree and Netting Stakes

Tree Stakes (pointed and chamfered)

Length	Dia.	Ref
1.50m	60mm	113500 ■
1.80m	60mm	114400 ■
2.10m	60mm	115200 ■
2.10m	75mm	092100 ■
2.40m	60mm	114500 ■
2.40m	75mm	092200 ■
2.70m	75mm	092300 ■

Buckle Tree Ties

Length	Ref
450mm	100900 ●


● Stock items ■ Check for availability



Avoid this happening to your trees.

Cleft Chestnut Fencing

A simple, fast and cost-effective demarcation solution, our Cleft Chestnut fencing is assembled using best quality galvanised 14 gauge (2mm) wire with 4 strands per row. Pales are cleft, peeled and pointed at one end.



Please note: this Chestnut fencing is not guaranteed for 25 years because Chestnut is a hardwood and cannot go through our Jakcure® treatment process.



Style A - (2 rows of wire)



Style B - (3 rows of wire)

Approximate spacing: 81 pales in a 9.10m roll. Pales are 75mm spaced. We recommend installation with our machine round Jakcure® posts for long life.

Cleft Chestnut Fencing

Fence Height	Ref	
0.90m - Style 'A' 9.10m rolls	291000 ●	
1.10m - Style 'A' 9.10m rolls	291600 ●	
0.90m - Style 'B' 9.10m rolls	294000 ■	
1.10m - Style 'B' 9.10m rolls	294600 ●	
1.20m - Style 'B' 4.55m rolls	295500 ●	
1.40m - Style 'B' 4.55m rolls	295800 ●	
1.50m - Style 'B' 4.55m rolls	296400 ●	
1.80m - Style 'B' 4.55m rolls	297000 ■	

Intermediate Posts (not chestnut)

Machine round, 75mm diameter. Use at 2.70m intervals.

Fence Height	Post Length	Ref	
0.90m	1.50m	091800 ■	
1.10m	1.50m	091800 ■	
1.20m	1.65m	091900 ■	
1.40m	1.80m	092000 ■	
1.50m	2.10m	092100 ■	
1.80m	2.40m	092200 ■	

Corner and End Posts (not chestnut)

Machine rounded 100mm diameter. Use at maximum 45m intervals or corners and changes in direction.

Fence Height	Post Length	Ref	
0.90m & 1.10m	1.50m	132100 ■	
1.20m & 1.40m	1.80m	132200 ■	
1.50m	2.10m	132220 ■	
1.80m	2.40m	132300 ■	



To see our latest prices, view Cleft Chestnut fencing on our website by scanning the QR code.



Inspirational

Many thanks to our customers who have shared their projects with us, without these inspirational images it would be difficult for us to show you the many ways that our products can be used.

If you have any photos of our products in your garden projects we'd love to see them, please email: pics@jacksons-fencing.co.uk

Struts (not chestnut)

Machine rounded, 60mm diameter. Use one on end posts and two on corner and intermediate straining posts.

Fence Height	Post Length	Ref	
1.20m & 1.40m	1.80m	114900 ■	

● Stock items ■ Check for availability

Timber Kissing Gate

A kissing gate is a type of gate which allows the movement of people but not livestock to pass through, keeping them safe and enclosed within an area. This is an alternative to the stile. The term derives from the fact that the gate ‘kisses’ the stops at the two extremes of its travel.



Timber Kissing Gate

This style of gate has been commonplace in rural areas for years. They are particularly useful in districts populated by older people, where a stile is unsuitable. The kissing gate allows easy access through fences with no climbing necessary.

Specification: The set consists of one 1.05m wide, five bar, Jakcure® treated Uni-Field Gate. Hung on galvanised double band hinges with adjustable bottom eye. The hanging post is 2.10m long x 125mm x 100mm section, shaped four ways. The two slam posts are 1.80m long x 125mm x 100mm section. The ‘V’ shaped enclosure fence has four rails of 100mm x 38mm section morticed into each side of the corner post, which is also 1.80m long x 125mm x 100mm section. All manufactured from Jakcure® treated softwood. We recommend that all posts should be set in concrete. This unit is suitable for inserting in any type of fence in almost any situation.


Description	Ref
Standard timber Kissing Gate complete set	299900BM ■

Mobility Timber Kissing Gate (wheelchair friendly)

The Mobility Kissing Gate uses the same materials as the standard Timber Kissing Gate, but with a 1.50m gate, which makes it accessible for wheelchair users. Designed and can be installed in accordance with BS 5709:2006

Description	Ref
Mobility timber Kissing gate complete set	299800BM ■

■ Check for availability



Metal Kissing Gate

Our metal kissing gate provides a secure and robust access point, designed to admit pedestrians in rural locations such as public footpaths or fields. This gate does not allow livestock to pass through, keeping them safe and enclosed within a secure area.



Our Galvanised Metal Kissing Gate

This popular self-closing six rail kissing gate is manufactured from hot dip galvanised steel, so it will resist rust for many years and will be virtually maintenance free once installed.

Specification: Dimensions: 1520mm wide, 1170mm high. Manufactured from 25mm x 25mm RHS with four posts 50 x 50mm RHS including adjustable bottom hinge which allows the gate to swing shut either way. Supplied in three sections plus posts and location bars for below ground. All hot dipped galvanised. We recommend that the posts should be set in concrete. This unit is suitable for inserting in any type of fence in almost any situation.

Please note: this gate has been designed to fit into areas where space is minimal but access is required. It is not recommended for public footpaths as the design is under the minimum clear width of 1.1m, stated in BS5709:2018.

Description	Ref
Metal Kissing gate complete set	264600BM ○

RADAR Padlock

Right of way gates can be secured in the closed position with a padlockable drop bolt, this can be used with a RADAR padlock.

Description	Ref
RADAR padlock and three keys	284550BM ■

■ Check for availability ○ Made to order (cannot be cancelled once ordered)



To see our latest prices, view our Kissing Gates on our website by scanning the QR code.

Rights of Way - Stiles

Jacksons' stiles were designed with walkers and the outdoor enthusiast in mind. No more lifting the dog over and getting covered in mud.



Stile with Dog Gate (Rabbit Proof) Specification (with dog gate):

Description	Ref	
Stile Complete With Dog Gate	201700BM	○
Stile (without dog gate)	200700BM	■
Dog gate for attaching to existing stile	201800BM	○

■ Check for availability ○ Made to order (cannot be cancelled once ordered)



To see our latest prices, view our stiles on our website by scanning the QR code.



Gate shown with additional chicken wire

Bridle Gates

Description	Ref
Complete Bridle Gate includes 1.8m Uni Gate fitted with hinges, spring catch set, 2 x gate posts	299770BM ■

Two Way R.O.W. Latch
Two way latch especially suitable for self closing gates where disabled people need to gain access.



Description	Ref
Supplied complete with latch timber packer and activating pin.	271100 ■

Demarcation Fencing

Demarcation devices are a type of fencing, typically small in structure, that serve primarily to mark the boundary between two areas. They can take various forms to clearly define and separate spaces.



Diamond Rail Fencing Specification:

Posts	Ref
0.90m long	200900 ■
1.20m long	201000 ■
Rails	
70mm x 70mm 3.60m Rail (posts at 1.80m centres) Heavy duty option - posts can be spaced at 1.20m centres	200936 ■
Galvanised Strap for Diamond Rail	201100 ●

Post and Chain Fencing

Description	Ref
Posts for chain fencing Jakcure® softwood 100mm x 100mm nominal square section, planed shaped top 1.50m	350900 ■
Chain galvanised 50mm x 6mm links spikes in every other link. Price per metre	350600 ●
Hooks galvanised for attaching chain to wooden posts (including screws)	350700 ●

Silver Rail Fencing

Specification: Posts are 125mm x 75mm nominal section Jakcure® treated soft wood with rounded tops. Allow 1 post per 2.00m. Rails can be supplied coloured.

Description	Ref
Intermediate Post 1.50m	201200 ■
Corner Posts 1.50m	201300 ○
End Post 1.50m	201500 ■
Rails 6m Galvanised rail (41.5mm diameter including connector)	064000BM ●

● Stock items ■ Check for availability
○ Made to order (cannot be cancelled once ordered)

