

Chain Link Accessories for Timber and Concrete Posts

If you decide not to use our complete Tubular Chain Link System (page 146 onwards) you will need special fittings to use with timber and concrete posts. The accessories listed here will provide you with the necessary materials to help you install a chain link, welded mesh, plain or barbed wire fence. Should you have any difficulty in deciding which materials you need, please contact our sales team, who are always willing to assist you.

Stretcher Bar Kits, Stretcher Bars, Angle Cleats, Eyebolts and Adaptors for chain link fencing when attached to wooden or concrete posts. All hot dip galvanised.

1 Stretcher Bar Kits

Height	No. of Angle Cleats, Eyebolts, Adaptors & Hex bolts per bar	Ref
0.90m	2	301700BM ●
1.20m	3	301800BM ●
1.40m	3	301900BM ●
1.80m	3	302000BM ●

2 Stretcher Bars - Hot Dip Galvanised

Size	Ref
900mm x 5mm 2 holes	335030 ●
1050mm x 5mm 2 holes	335730 ●
1200mm x 5mm 3 holes	335130 ●
1400mm x 5mm 3 holes	335230 ●
1500mm x 5mm 3 holes	335830 ●
1800mm x 5mm 3 holes	335330 ●
2000mm x 5mm 3 holes	335930 ●
2100mm x 5mm 3 holes	335430 ■
2400mm x 5mm 4 holes	335530 ●
2750mm x 5mm 5 holes	335630 ●
3000mm x 5mm 5 holes	334830 ●

3 Bolts for Stretcher Bars with 2 Nuts Galvanised

Size	Ref
M8 x 40 (supplied in 100s)	336000 ●

4 Galvanised Angle Cleats

Size	Ref
40mm x 40mm x 5mm	336100 ●
50mm x 50mm x 6mm	336200 ●

5 Galvanised Eye Bolts (Fully threaded welded eye with 2 nuts & washers)

Size	Ref
200mm x 10mm	344000 ●
300mm x 10mm	341800 ●
300mm x 12mm	341700 ●



6 Galvanised Loop Adaptors

Size	Ref
10mm eye bolts	341880 ●

7 8 9 Strainers Galvanised

Size	Ref
G - Ratchet - Heavy duty (7)	342000 □
H - Radisseur - Large (8)	341900 □
I - Ferrule (9)	342400 ●

10 Barbed Wire Stays

Size	Ref
710mm x 30mm x 6mm. Galvanised & notched for 3 rows of barbed wire.	342300 ●

Tying Wire 1kg Coils

Size	Ref
16g.(1.6mm), Galvanised, 62m	338000 ●
14g.(2.0mm), Green P.V.C. Coated, 70m	338100 ●

Line Wire PVC Coated Green

Size	25kg Ref	26m Ref
2.24/3.15mm - 710m	339400 ●	337400 ●
2.50/3.55mm - 550m	339500 ●	337500 ●
3.00/4.00mm - 420m	339600 ●	337600 ●
3.55/4.75mm - 280m	339700 ●	337700 □

● Stock items □ Supplied to order (Cannot be cancelled once ordered). ■ Check for availability.

Fixing Tools & Miscellaneous

1 Jakclips

The simplest method for square posts- 2 clips to fix each side of the panel to non-slotted square post.

Size	Ref
Fixing set: 4 x self screw Jakclips, 8 x 50mm galvanised nails, 2 x 65mm galvanised nails for post caps (plus 1 spare).	645000 ●

2 Jakcure® Timber Spur Posts

Posts are 100mm x 100mm nominal section with 2 x 10mm holes drilled for bolting to the post. Posts are set 600mm into the ground.

Size	Ref
Standard stock size. 1500mm. For bolts see below.	756310 ■

3 Cement and Ballast

Size	Ref
20kg Bag Post Fixing Mix	648071 ●
25kg Ballast Bag	648110 ●
25kg Master Crete (Extra rapid cement) Bag	648220 ●
25kg Standard Cement Bag	648200 ●

4 Bolts & Nuts Cup Square Galvanised

Length	M8 Ref	M10 Ref	M12 Ref
50mm	803900	805600	807300
55mm	804000	805700	—
65mm	804100 ●	805800 ●	807500
75mm	804300 ●	806000 ●	807600 ●
90mm	804500 ●	806200 ●	—
100mm	804600 ●	806300 ●	807800 ●
110mm	804700 ●	806400 ●	807900 ●
130mm	804800 ●	806500 ●	808000
140mm	—	806600 ●	—
150mm	804900 ●	806700 ●	808100
160mm	—	806800 ●	808200
180mm	805000 ●	806900 ●	808300
220mm	—	807100 ●	808500

5 Countersunk Supascrews Stainless Steel

Length	Size	Per 200	Per 10
40mm	4mm	809000 ●	809010 ●
45mm	5mm	809100 ●	809110 ●
50mm	5mm	809200 ●	809210 ●
65mm	5mm	809300 ●	809310 ●
75mm	5mm	809400 ●	809410 ●



6 Coach Screws Hex Head

Length	M8 Ref	Ref
65mm	810500	—
75mm	810600 ●	—
90mm	—	811100
100mm	—	811200 ●

7 Roofing Bolts - Galvanised

Diam.	Length	Ref per 100
M8	40mm	813000 ●

8 Bolts & Nuts Cup Square Galvanised

Bolt	O.D. mm	Thickness mm	Ref per 100	Ref per 10
M8	21	2.0	811800 ●	812300 ●
M10	24	2.0	811900 ●	812400 ●
M12	28	2.5	812000 ●	812500 ●

● Stock items ■ Check for availability.

Stainless Steel Nails for Palisade and Featherboard Fencing

Length	Approx Count per kg.	Ref 5kg. box		Ref 1kg. bag
50mm	441	800750 ●		800710 ●

1 Galvanised Staples

Size	Approx Count per kg.	Ref 20kg. Carton		Ref 5kg. Tub		Ref 1kg. Tub
20 x 2.00mm	1079	801020 ●		801050 ●		801010 ●
30 x 3.55mm	226	801120 ●		801150 ●		801110 ●
40 x 4.00mm	136	801220 ●		801250 ●		801210 ●

2 Galvanised (Barbed) Staples

Size	Approx Count per kg.	Ref 20kg. Carton		Ref 5kg. Tub		Ref 1kg. Tub
30mm x 3.15mm	250	328620 ●		328650 ●		328610 ●

3 Wire Nails (Galvanised Wire)

Length	Approx Count per kg.	Ref 25kg.		Ref 5kg. Tub		Ref 1kg. Tub
50mm	441	800100 ▼		800150 ▼		800110 ▼
65mm	216	800400 ●		800450 ●		800410 ●
75mm	145	800200 ●		800250 ●		800210 ●
100mm	79	800300 ●		800350 ●		800310 ●
125mm	42	800500 ●		800550 ●		800510 ●
150mm	31	800600 ●		800650 ●		800610 ●

4 Resin Anchor

Description	Ref
Tube of polyester resin for anchoring studding	070007

5 Resin Applicator

Ref
070009

6 Studding

Lengths of threaded galvanised metal rod studding including 7 nuts & washer per metre.

Size	Ref
M8	070008
M10	070010
M12	070012
M16	070016

7 Steel Locking Bars

In Galvanised finish.

Size	Ref
300mm	354000 ●

8 Arris Rail Repair Bracket

In galvanised finish.

Size	Ref
300mm	420300 ●

9 Heavy Cross Bolt


In galvanised finish.

Size	Ref
450mm	352400 ●

10 Brenton Pattern Galvanised Bolts

Size	No. of Screws/Bolts	Ref
150mm	4/4	344900 ●*
200mm	4/4	345000 ●*
250mm	4/4	345100 ●*
300mm	4/4	345200 ●*

● Stock items ▼ While stocks last * Includes bolts and screws



11 Gate Return Spring

Epoxy Black.

Size	Ref
250mm	346800 ●*

12 Lift Gate Hook

Description	Ref
With coach screws to take 38mm rails.	420400

13 14 Padlocks

Description	Ref
Padlock 60mm. Defiant 6 lever padlock. 12mm shackle dia.	357100 ●
RADAR padlock (3 keys) p. 135	284550BM

15 Monkey Tail Bolt

Size	Ref
450mm x 16mm	353400 ●

16 Tee Hinges

Length of Tail	Ref
300mm	344500 ●*
400mm	344600 ●*
450mm	344700 ●*
600mm	344800 ●*

1 Ring Latches Galvanised

Description	Ref
Two ring handles, Heavy - 125mm	350300 ●*
Two ring handles, Extra Heavy - 175mm	355000 ●*

2 Automatic Latch

Description	Ref
Heavy Duty Galvanised	350400 ●*

3 Pad Bolt

Description	Ref
Oval Galvanised - 100mm	351300 ●*

4 Cabin Hook Galvanised

Description	Ref
100mm	351550 ●*
150mm	351660 ●*

5 Ring Gun

Description	Ref
Automatic Ring Fastener Gun. Very fast method of fastening wire netting and chain link to support wires	410400 ●

6 Ring Fasteners

For use with ring gun in image 5 in packs of 1000.

Description	Ref
Galvanised	410500 ●
Stainless Steel	410550 ●

7 Welded Mesh Clip Tool

Description	Ref
Fast method for attaching welded mesh providing a high level of security.	523100 ●

8 Welded Mesh Clips

Description	Ref
Stainless steel clips in packs of 1224.	523000 ●

9 Hook & Band Hinge

Description	Ref
Price per pair. Cranked folded eye 400mm	350200 ●*

10 Adjustable Hook & Band Hinge

Bent Hinge (10A) Size	Ref
400mm per pair	350550 ●*
Boxed Hinge (10B) Size	Ref
500mm per pair	350800 ●*
700mm per pair	351770 ●*



11 Heavy Reversible Hinges

Size	Ref
620mm x 19mm	352900 ●*
780mm x 19mm	353300 ●*
930mm x 19mm	353000 ●*

12 Fencing Pliers

Description	Ref
Invaluable aid to wire and fencing work	370700 ●

13 Wire Cutters

Description	Ref
A For cutting up to 3.15mm H.T. plain wire	334000 ●
B For cutting and twisting up to 3.15mm H.T. or 4mm mild steel wire	334100 ●
C For cutting mild steel strand 6.5mm High Tensile steel rope 180kg/mm² 5.0mm Steel rod 66kg/mm² 4.0mm Spring wire 180kg/mm² 2.5mm	334200 ●

● Stock items * Includes bolts and screws



1 Claw Hammer

Description	Ref
A strong Claw Hammer with wooden handle	371200 ●

2 Wire Tying Tool

Description	Ref
Complete with rubber handle	349700 ●

3 Wire Tensioning Tool

Description	Ref
Wire Tensioning Tool	346900 ●

4 Wire Ties Galvanised

Wire ties are the most efficient method of tying up bags, sacks, bundles and chain link to the top rail.

Description	Ref
100mm Galvanised per 1000	348900 ●
200mm Galvanised per 1000	563492 ●

5 Post Level

Sturdy, high-impact POSTRITE construction. Three durable adjustment free acrylic vials to read plumb and level.

Use when establishing plumb or level on fences, posts etc.

Description	Ref
Post Level	400800 ●

6 Post Driver

For driving home wooden posts, stakes, angle irons etc. with no hole digging, ramming or damage to posts.

Description	Ref
No. 5 for posts up to 120mm diameter	400600 ●
No. 6a for posts up to 146mm diameter (two handles)	400700 ●

7 Grubbing Mattock

Description	Ref
5lb. (Head only)	347700 ●

8 Hickory Mattock & Pickaxe Handle

Size	Ref
900mm	347800 ●

9 Sledgehammer

Size	Ref
10lb.	347200 ●

10 Square Rammer

Description	Ref
Tubular handle. 10lb. Head	346200 ●



● Stock items

11 Spade Rabbiting - Telecom

Description	Ref
1.70m tubular steel handle.	
Size 124mm x 320mm Grafting Spade	346700 ●

12 Heavy Duty Shovholer Hole Digger

Description	Ref
50% quicker and easier than using a spade	401400 ●

12 Crowbar Chisel & Point

Description	Ref
1.50m	346300 ●

14 Post Maul

Description	Ref
Fibre glass handle	345330 ●

A

Access Control	110-113
Access Restrictors	138-139
Acoustic Fencing	54-57
Aran® Panels	24-25
Anchor stakes	131
Automated Gates	110-113

B

Ballast	155
Balustrade	90-91
Balustrade Gates	91
Balustrade; Spur Posts	91
Barbed Tape	142
Barbed Wire	130
Barbed Wire; High Tensile	130
Barbican Imperial® Railings	60-61
Barbican Imperial®; Finials	61
Barriers	138
Bollards; Timber & Metal	138-139
Bow Top Gates	62-63
Bow Top Panels	62-63
Brabourne Gate	70
Bridle Gates	136
Brook Gate	70

C

Canterbury Combi Cut Down Kit	33
Canterbury Combi Gates	73
Canterbury Combi Panels	32-33
Cantilevered Gates	108-109
Capping Rails	52-53
Cathedral Courtyard Gate	104-105
Cattle Fence	131
Cement	155
Chain Link	146-149
Chain Link Accessories	154
Chain Link Gates	150-151
Chain Mesh	128
Chilham Gates	73
Chilham Panel Cut Down Kit	29
Chilham Panels	28-29
Cleft Chestnut Fencing	132-133
Closeboard Fencing	44-45
Cobra Spike	142
Containing Boards	125
Corner Posts	46-47
Courtyard Gates	102-107
Cut Treatment	53

D

Decking	88-92
Decking Boards	88-90
Decking Fixings	89
Decking; Anti-slip	90
Deer Fence	131
Diamond Rail Fencing	137
Diamond Trellis Panels	83
Driveway Gates	102-117

E

Edging Boards	87
Electric Gates	110-113
End Posts	46-47
End Grain Treatment	53
Entrance Gates;	
Narrow & Wide	114-117
Estate Gate	122-123
Estate Railing Fencing	122-123
Estate Railings Gates	122-123
EuroGuard® Combi Panels	64-65
EuroGuard® Combi Posts	64-65
EuroGuard® Panels	64-65
EuroGuard® Posts	64-65
Express® Temporary Fencing	144

F

Featherboard Capping	52-53
Featherboard Gates	69
Featherboard Gravel Boards	50-51
Featherboard Pales	44-45
Featherboard Panels	8-9
Featherboard Posts	46-47
Featherboard Rails	44-45
Feather Edge Fencing	44-45
Field Gates	114-117
Finials	53
Fixing Tools	155-158
Forest Fence	131

G

Garden Shelters	94-97
Garden Gates	68-74
Gate Automation	110-112
Gate Fittings & Accessories	118-119
Gate Latches	119
Gate Posts	119
Gravel Boards	50-51
Gravel Boards;	
Hedgehog Friendly	51
The 25 Year Jakcure® Guarantee	4-5

H

Hanging Posts	119
Heavy Duty Capping	53
Heavy Duty Posts	46-47
Heavy Metal Field Gates	120-121
Hit & Miss Cut Down Kit	16-17
Hit & Miss Panels	16-17
Venetian Hit & Miss Panels	22-23
Hit & Miss Gates	71
Hythe Gate	102-103

I

Intercoms	112
Intermediate Posts	46-47

J

J-lock	71
Jakclips	155
Jakcure® Guarantee	4-5
Jakoustic® Barriers	54-56
Jakposts®	46-47
Jakpost® Foot	49
Jaksun® solar fence panel	58-59
Jaktop Gate Posts	47
Jaktop Gates	74
Jaktop Panels	38-39
Jaktop Posts	48-49
Jakwall® Landscape Timbers	86-87
Jakwall® Fixings	87
Jumping Poles	125

S

Sandwich Gate	102-103
Screws	155
Security Comb	142
Security Topping	142-143
Sentry Residential Railings	60-61
Shadowline® Panels	36-37
Sheep Fencing	131
Shelters	94-97
Silver Rail Fencing	137
Sissinghurst Planters	100-101
Slam Posts	119
Slatted Fencing	18-23
Sleepers	86-87
Sliding Gates	108-109
Slip Resistant Decking	90
Slotted Posts and Square Posts	46-47
Solar Fence Panels	58-59
Splash Boards	125
Square Trellis	82
Square Posts	47-48
Staples and Barbed Staples	156

M

Marker Posts	143
Marker Rails	143
Metal Field Gate; Heavy	120-121

Index

52-53	Metal Trellis	83	Stakes & Posts	129,131
69	Metro® Panels	26-27	Stile with Dog Access	136
50-51	Mi-T® Metal Garden Fence Posts	48	Stiles	136
44-45	Mi-T® Post with Foot	49	Stock Fence	131
			Straining Posts	129

N

46-47	Nails	156		
44-45	Noise Barriers	54-57		

O

155-158	Ornamental Fencing and Gates	66-67		
---------	------------------------------	-------	--	--

P

	Paddock Fencing	124-127		
	Palisade Gate Posts	46-47		
	Palisade Gates; Rounded			
110-112	& Pointed tops	74		
118-119	Palisade Pales;			
	Pointed & Rounded	42-43		
	Palisade Panels	40-41		
	Palisade Posts	42-43		
	Palisade Rails	42-43		
	Pergola Components	78-79		
	Pergola; Corner	78-79		
4-5	Pergolas; Single & Double Bay	78-79		
	Picket Fencing	42-43		
	Pig Fence	131		
	Planters	100-101		
	Plain Wire	130		
	Playtime® Timber Gates	62-63		
	Playtime® Timber Panels	62-63		
	Post & Chain Fencing	137		
	Post & Rail; Morticed	126-127		
	Post & Rail; Standard (Nailed)	124-125		
	Post Caps	53		
	Postcrete	155		
	Posts	46-47		
	Preservative for Timber			
	Treatment	53		

U

	Uni-Gates	116-117		
	Urban® Panels	34-35		
	Urban® Gates	72		

V

	Venetian Gates	73		
	Venetian Hit & Miss Cut Down Kit	22-23		
	Venetian Hit & Miss Gate	72		
	Venetian Hit & Miss Panels	22-23		
	Venetian Panels	20-21		
	Venetian Panel Cut Down Kit	20-21		
	Venetian Retreat Garden Shelter	94-95		
	Verge Protection	140-141		
	Viper-Spike®	143		

W

	Wall Plates	71, 119		
	Warden Barrier	141		
	Welded Mesh; Heavy & Light	153		
	Wheelie Bin Store	98-99		
	Whitstable Gate	106-107		
	Wire Netting	130		
	Wire Mesh	128		
	Woven Gates	73		
	Woven Panel Cut Down Kit	30-31		
	Woven Panels	30-31		
	Woven Retreat Garden Shelter	96-97		