





Post & Rail Special Heavy Morticed



Special Heavy Morticed Post & Rail Fencing

This attractive design will appeal to those who want a more unusual, retro, or "riven" look to their fence. Consists of half round posts, with either three or four mortices depending on the height, for the irregular sawn horizontal rails to insert into.

Allow one post for every 1.85m of fence, plus one for the end of the run.

For a 3-rail fence allow three rails per 1.85m

and for a 4-rail fence also allow four rails per 1.85m.

All timber used throughout is superior quality Jakcured softwood guaranteed for 25 years. The morticed posts have a special galvanised fitting embedded in top to prevent splitting. All fixings are heavily galvanised.

Posts

Half round with a minimum of 125mm across the face. Mortices 100 x 40mm are centred at 125mm, 500mm, 850mm, 1150mm from the top of the post.

Length

1.8m	3 Mortices	Ref 150400 ■
2.3m	4 Mortices	150600 ○

Rails

Irregular sawn sections of softwood Jakcured with a minimum girth of 250mm peeled, with ends tapered to fit mortices.

2.0m approx.(Untrimmed) 150520 ■

Corner Posts

Round, softwood Jakcured with a minimum diameter of 125mm, peeled, with a special galvanised fitting embedded to minimise splitting. Morticed two ways.

Length

1.8m	3 Mortices	Ref 150900 ■
2.3m	4 Mortices	151000 ○

Nails

50mm stainless steel nails 2kgs. for 180m of 3-rail fence. 3kgs for 180m of 4-rail fence. See page 146.


Handy hint:

After dividing the length of the fence run by the post intervals, always add one extra post to complete the run. Remember also, corner posts take the place of ordinary posts. Aids for erecting posts - Shuv-holer and Monkey Hole Borer - see page 149.



For Arenas

- | | |
|---------------------------------------|----------|
| Membrane supplied by the roll | Ref |
| 100m x 2.00m | 992910 |
| 100m x 4.00m | 992810 |
| Containing Boards | |
| 3.6m - 150 x 38mm | 170400 ● |
| 3.6m - 100 x 38mm | 170410 ■ |
| Splash Boards | |
| 4m - 150 x 38mm | 170800 ● |
| Jumping Poles (not for in-ground use) | |
| 3.6m long x 100mm diameter | 131800 ● |
| Square Rails Sawn finish. | |
| 100 x 38mm section. 4m long | 170210 ■ |





Post & Rail Nailed - Sawn Square or Half Round



Standard Post & Rail Fencing (nailed)

This basic and versatile fencing consists of machine rounded half round posts, with three horizontal machine rounded half round rails, nailed to the flat face of the posts. Allow one post for every 1.8m of fence, plus one for the end of the run. Allow three rails for every 3.6m of 3-rail fencing.

All timber used throughout is superior quality Jakcured softwood guaranteed for 25 years. All fixings are heavily galvanised

Recommendation

When erecting post and rail fencing in the summer, it is advisable to set posts in concrete as it is very difficult or impossible to ram dry soil tight.

For Arenas

Normal Sizes

40m x 20m inside containing boards
or 60 x 20m inside containing boards

Soil Preparation

All top soil and vegetation removed from the riding area to an immediately adjacent area. Site then levelled.

Base Layer

Clean stone available locally, compacted to give an average thickness of 150mm and placed upon a prepared sub-soil. Drains can be installed as an optional extra.

Jakcure® End Grain Treatment

Where cutting or drilling after treatment cannot be avoided use Jakcure® End Grain Treatment to ensure no timber is left untreated. 500g bottle 131212 ●

Machine rounded, half-round Posts
Half round, pointed,

1.8m 115mm face	130400 ●
1.8m 125mm face	150110 ●
2.4m 125mm face	131300 ●

(2.4m posts are recommended for use in soft ground or a 1.5m high fence).

Corner Posts

Jakcured softwood with two sawn flat sides from round post of 125mm diameter.

Machine rounded

1.8m	130550 ●
2.4m	130600 ○

Post & Rail Fencing (nailed)

This sturdy fencing consists of sawn square section posts, with three horizontal rails, nailed to the posts. There is a choice of either half round rails or sawn square section rails.

Allow one post for every 1.8m of fence, plus one for the end of the run. Allow three rails for every 3.6m of 3-rail fencing.

Posts
125mm x 75mm section, weathered one way. Sawn finish. For corners use ordinary posts.

Length	Ref
1.8m	170100 ●
2.1m	170500 ●
2.4m	170600 ■

Square Rails

100 x 38mm section. Sawn finish.

3.6m long	170200 ●
4m long	170210 ■

Half Round Rails

Machine rounded Jakcured as inset above. Half round.

3.6m long with 100mm face	135000 ●
---------------------------	----------





Post & Rail Morticed



Post and Rail fencing (morticed)

This attractive fencing consists of sawn square section posts, with three or four horizontal square section rails, morticed into the posts. There are additional prick posts in between the posts at the mid bay point to give extra support.

Allow one post and one prick post for every 2.85m of fence, plus one post for the end of the run. Allow three rails per 2.85m run of 3-rail fence, and four rails per 2.85m of 4-rail fence.

All timber used throughout is superior quality Jakcured softwood guaranteed for 25 years. Posts with mortices in have special galvanised fitting embedded in top to prevent splitting.

All fixings are heavily galvanised

Posts

125mm x 75mm section, weathered one way. Mortices 100 x 40mm centred at 150mm, 530mm, 860mm and 1180mm from top of post. Sawn finish.

Length	Ref
1.8m 3 Mortices	190200 ●
2.1m 4 Mortices	190700 ○

Square Rails

100 x 38mm section, scarfed at both ends. Sawn finish.

Length	Ref
3.0m	190300 ●

Corner Posts

125 x 125mm section, weathered two ways. Sawn finish.

1.8m 3 Mortices	190600 ●
2.1m 4 Mortices	190800 ○

Prick Posts

100 x 38mm section, pointed. Sawn finish.

1.5m long	190400 ●
1.8m long	190900 ○

Nails (see page 146)

100mm galvanised wire nails allow 11kgs -for 200m of 3-rail fence and 14kgs for 200m of 4-rail fence