



### Featherboard Gates: Standard,

Featherboard gates are 0.9m and 1m wide, Jakcured softwood sawn finish, constructed with galvanised bolts and stainless steel nails. Right hand hanging as standard. (Left hand hanging also available). Wider gates are available as a special order. Also available as pairs, please ask for price and details. Please note that pairs of convex or concave garden gates will have one curve as standard, this applies to most garden gates not just featherboard. Key locks are available for featherboard gates.

Posts for hanging garden gates, see page 40.

Our gate posts, like all Jacksons panels and traditional fencing systems, are supplied in natural Jakcured finish and are guaranteed against rot and insect attack for 25 years.

### Featherboard Gates (level top)

Gate Height*	To suit fence height	Gate Width	Ref
1.78m	1.8m	0.9m	231900 ●
1.18m	1.2m	1.00m	231100 ●
1.48m	1.5m	1.00m	231200 ●
1.78m	1.8m	1.00m	231300 ●
1.90m	1.95m	1.00m	232000 ○

\* with capping




For example for hanging a 1.75m high 0.9m wide gate you would need a pair of standard square profile posts or slotted end posts, Ref 641500 2.4m long - size 100 x 100mm nominal

However for larger gates you may need heavier posts in this instance please ask for advice.

### Concave Featherboard Gates

*Gate height	To suit fence height	Gate Width	Ref
1.15m	1.2m	1.00m	231101 ○
1.45m	1.5m	1.00m	231211 ○
1.75m	1.8m	1.00m	231301 ○

\* Convex and Concave gates do not have capping



The rise and fall on convex and concave Featherboard gates is 75mm. The gate height stated is the maximum height of the gate.

### Convex Featherboard Gates

*Gate height	To suit fence height	Gate Width	Ref
1.15m	1.2m	1.00m	231102 ○
1.45m	1.5m	1.00m	231202 ○
1.75m	1.8m	1.00m	231302 ●

\* Convex and Concave gates do not have capping



Advice - We always recommend a 50mm gap below the gate for clearance to avoid leaves building up. Shutting strips and latch are supplied with every gate. They are essential to ensure the gate is held in the correct position to avoid twisting. Gates and latches are always to be operated by an adult.

● STOCK ITEMS ○ MADE TO ORDER (CANNOT BE CANCELLED ONCE ORDERED) ■ CHECK FOR AVAILABILITY



Brook and Brabourne Boarded Garden Gates (for use with tongue & Groove effect panels)  
 Robust and versatile gates that will give privacy to any property. Supplied in natural Jakcured finish, constructed with galvanised bolts and stainless steel nails. Right hand hanging as standard. (Left hand hanging also available). Wider gates are available as a special order. Also available as pairs, please ask for price and details. Standard widths: 750mm, 900mm and 1m. Other widths available as specials. Heights: 1.2, 1.5, 1.8m and 1.93m when hung 50mm above the ground for clearance. Capping rail on Brook gate top to match fence capping rail

Posts for hanging garden gates (see page 40).

Special size gates can be made to order, please ask for a quote. We can make many of our gates to special sizes. Size limitations vary. Please allow 10mm each side of the gate for gaps and adjustments.

Gate fittings include ring latch, adjustable hook and band hinge. Fittings are heavily galvanised steel.

Key locks are available see below.

#### Brook Gate (ideal match for T & G panels)

Gate Height*	To suit fence height	Gate Width	Ref
1.18m	1.22m	1m	275800 ○
1.48m	1.52m	1m	275900 ○
1.78m	1.83m	750mm	276000 ●
1.78m	1.83m	900mm	276100 ●
1.78m	1.83m	1m	276200 ●
1.93m	1.83m**	1m	276250 ●

\* with capping

\*\*To suit 1.83m panel on gravel board



#### Brabourne gate (convex top)

Gate Height*	To suit fence height	Gate Width	Ref
1.15m	1.22m	1m	277100 ○
1.45m	1.52m	1m	277200 ○
1.75m	1.83m	750mm	277300 ●
1.75m	1.83m	900mm	277400 ●
1.75m	1.83m	1m	277500 ●

\* Convex and Concave gates do not have capping

The drop on a convex gates is 75mm. The gate height stated is the maximum height of the gate.



#### J-Lock and Latch\*

The perfect solution for timber courtyard and heavy framed garden gates. Stainless steel insert lock and latch for single and double leaf timber gates. 100% stainless steel insert lock with a backset of 60mm. The adjustable self-latching bolt in combination with the stainless steel hook (dead bolt) provides extra security.



J-Lock fitted including drop bolt


357700BM ○

J-Lock supply only

357700BM ■

\*Will only work with Courtyard & Featherboard gates as standard, other garden gates require a special frame to suit (please ask)

Wall Plates for fixing gates to walls. (Helpful hint - Despite the name this is a length of timber that can be fixed to a wall that the gate can then be hung on). Dimensions are nominal.



Wall Plate	Size	Ref
1.8m Planed finish	100 x 75mm	228000 ●
2.1m Planed finish	100 x 75mm	228050 ■
2.4m Planed finish	100 x 75mm	228100 ■
1.8m Planed finish	100 x 50mm	171000 ●

Jakcure® End Grain Treatment  
 Where cutting or drilling after treatment cannot be avoided use Jakcure® End Grain Treatment to ensure no timber is left untreated.

500g bottle

Ref 131212 ●





### Hit & Miss Gates Vertical

Gate height*	To suit fence height	Gate Width	Ref
1.78m	1.83m	1.00m	631900 ●
Right handed			
Left Handed	1.83m	1.00m	631990 ●
* with capping			



### Hit & Miss Gates Horizontal

Gate height	To suit fence height	Gate Width	Ref
1.78m	1.83m	1.00m	631800 ○
Right handed			
Left Handed	1.83m	1.00m	631880 ○
* with capping			



### Paliframe

Must only be used with 'L' hinges supplied

Gate height*	To suit fence height	Gate Width	Ref
1.78m	1.83m	1.00m	657600 ●
Right handed			
Left Handed	1.83m	1.00m	657660 ●
* with capping			



Posts for hanging garden gates, see page 40.  
 Special size gates can be made to order, please ask for a quote.  
 We can make many of our gates to special sizes, size limitations vary. Please allow 10mm each side of the gate for gaps and adjustments.  
 Gate fittings include ring latch, adjustable hook and band hinges. Fittings are heavily galvanised steel.

Please note: Some timber products will take a while to dry out after the Jakcure process and natural shrinkage can occur. To prevent unstained timber becoming visible, we recommend not staining products until they have had a prolonged period of dry weather to fully dry out.

### J-Lock and Latch\*

The perfect solution for timber courtyard and heavy framed garden gates. Stainless steel insert lock and latch for single and double leaf timber gates. 100% stainless steel insert lock with a backset of 60mm. The adjustable self-latching bolt in combination with the stainless steel hook (dead bolt) provides extra security.



J-Lock fitted including drop bolt  
 J-Lock supply only

357700BM ○  
 357700BM ■

\*Will only work with Courtyard & Featherboard gates as standard, other garden gates require a special frame to suit (please ask)



### Venetian Gates

Gate height*	To suit fence height	Gate Width	Ref
1.78m	1.83m	1.00m	657700 ●
Right handed			
Left Handed	1.83m	1.00m	657770 ●

\* with capping



### Chilham Gates

Must only be used with 'L' hinges supplied

Gate height*	To suit fence height	Gate Width	Ref
1.78m	1.83m	1.00m	656400 ●
Right handed			
Left Handed	1.83m	1.00m	656440 ●

\* with capping



### Woven Gates

Must only be used with 'L' hinges supplied

Gate height*	To suit fence height	Gate Width	Ref
1.78m	1.83m	1.00m	656610 ○
Right handed			
Left Handed	1.83m	1.00m	656611 ○

\* with capping



### Canterbury Combi Gates

Gate height*	To suit fence height	Gate Width	Ref
1.78m	1.83m	1.00m	659000 ○
Right handed			
Left Handed	1.83m	1.00m	659090 ○

\* with capping





### Square Top Standard Trellis Gates

Gate height*	To suit panel height	Gate Width	Ref	Notes
1.78m				must only be used with the L hinges provided
Right handed	1.83m	1.00m	639500 ○	
Left Handed	1.83m	1.00m	639550 ○	

### Premier Trellis Gates (right handed)

Gate height*	To suit panel height	Gate Width	Ref
1.78m			
100mm Square	1.83m	1.00m	740000 ○
Lattice	1.83m	1.00m	750000 ○
Diamond	1.83m	1.00m	744000 ○

\* with capping Posts these should be 0.6m longer than the height of the trellis, see pages 40 - 41 Finals & postcaps are on page 44.



### Jaktop Gates

Gate Height	To suit fence height	Gate Width	Ref
0.86m	0.9m	1m	602600 ●
1.15m	1.2m	1m	602900 ●
1.75m	1.8m	1m	603200 ●
0.86m	0.9m	1.2m	602700 ●
1.15m	1.2m	1.2m	603000 ●
0.86m	0.9m	1.5m	602800 ○
1.15m	1.2m	1.5m	603100 ○
Centre Gate Stop			602200 ■



### Palisade Gates Rounded Pale tops

Gate height	To suit fence height	Gate Width	Ref
0.95m	1m	1.00m	223300 ●
1.15m	1.2m	1.00m	224300 ●
1.75m	1.8m	1.00m	225800 ■



### Palisade Gates Pointed Pale tops

Gate height	To suit fence height	Gate Width	Ref
0.95m	1m	1.00m	222700 ●
1.15m	1.2m	1.00m	222600 ●
1.75m	1.8m	1.00m	225900 ○



### Traditional Jaktop Gate Posts

Made from 100 x 100mm section. Notched to take half round rails, top weathered one way.

Gate height	Post height	Ref
0.86m	1.5m	602400 ○
1.2m	1.8m	602500 ○

### Palisade Gate Posts

1.5 & 1.8m are 100 x 75mm & 2.4m are 125 x 75mm section (not morticed).

Gate height	Post height	Rounded Tops Ref	Pointed Tops Ref
0.95m	1.5m	223400 ●	220500 ●
1.17m	1.8m	224400 ●	220600 ■
1.75m	2.4m	226800 ■	226500 ○

For posts for hanging other garden gates (please see page 40).