

Barbican Imperial Residential Railings

Panel Height	Ref
Galv. & PPC	
1000mm	979100L
1250mm	979120L
Intermediate Posts	
1000mm	971001 ○
1250mm	971251 ○
Corner Posts	
1000mm	971003 ○
1250mm	971253 ○
End Posts	
1000mm	971002 ○
1250mm	971252 ○
Connectors 4 each panel	020001 ○

Finials for Barbican Imperial



Finial 1 Ref 957010



Finial 2 Ref 957020



Finial 3 Ref 957030



Finial 4 Ref 957040



Finial 5 Ref 957050



Finial 6 Ref 957060

Sentry Residential Railings

Panel Height	Ref
Galv. & PPC	
1000mm	921000L
1250mm	921200L
Intermediate Posts	
1000mm	921001 ○
1250mm	921201 ○
Corner Posts	
1000mm	921002 ○
1250mm	921202 ○
End Posts	
1000mm	921001 ○
1250mm	921201 ○
Connectors 4 each panel	020001 ○





# Residential Railings Barbican & Sentry



## Barbican Imperial Residential Railings

Barbican Imperial Residential railings are perfect for garden and housing projects, aesthetically pleasing with a smaller round pale at 19mm. A lighter version of our standard Barbican Imperial fencing. Decorative finials can be added, with six different finial options available. The panel is constructed with the pale going through the rail allowing no visible joins, anti vandal fixings are used to attach the panel to post.

Panel heights: 1000 & 1250mm.

Post centres: 3000mm Posts: 60 x 60mm rectangular hollow section. Post lengths: 1600mm or 1850mm to allow for 0.6m in the ground Pales: Dia.19mm circular hollow section Rails: 50 x 25 rectangular hollow section.

## Sentry Residential Railings

Sentry Residential Railings are perfect for use in residential applications, with their round 19mm pale giving the railing a contemporary look, an attractive and lighter alternative to our standard Sentry fencing. The panels are fully welded tubular semi pale-through-rail construction, with concealed, vandal proof rail to post fixings. These are an ideal railing for around decks and other raised areas where a strong balustrade is required. Please ask us for advice on fencing raised areas. The panel width will typically be reduced to 1.8m.

Panel heights: 1000 & 1250mm - other sizes available.

Post centres: 3000mm Posts: 60 x 60mm Post lengths: 1600mm or 1850mm to allow for 0.6m in the ground Pales: Dia.19mm circular hollow section

Rails: 50 x 25mm rectangular hollow section

## Features & benefits common to Barbican Imperial & Sentry railings

- Constructed from steel with a 25 year service life guarantee
- Pale spacing is at 100mm to conform to Building Regulations for anti trap
- Option to be base plated
- Supplied galvanised and powder coated black as standard
- Galvanised and powder coated to BS EN 13438 in other colours at extra cost
- Swing or sliding gates are available with either automated or manual operation options.

Please ask for specifications.

○ MADE TO ORDER (CANNOT BE CANCELLED ONCE ORDERED)





#### Optional additional feature

We have introduced an additional feature you can add to our classic Bow Top fences, just to add a little extra interest and to give your fence a different look:

Extra pales set between the standard pales, topped off with a finial within the bow (there is a range of different finials to personalise your fence), please ask us for more details.



# Bow Top Railings & Playtime Timber Panels



Bow Top is a traditional 'hoop' top design of railing. Available in two heights: 1m and 1.2m. Manufactured from tubular steel for added strength, the horizontal rails are sleeved on to the fitting on the posts, resulting in a seamless design. (Posts are also available with base plates for fixing to concrete).

Single and double leaf matching gates are available, supplied with posts and fittings.

Posts: 60.3mm diameter for 1m high fence with 500mm to be set in concrete, and for 1.2m high fence with 600mm to be set in concrete. Post centres 3m. Rails: 50 x 25mm RHS. Tubular Infill: 19mm diameter. Tube spacing: 119mm centres giving 100mm gap. Supplied with domed post caps. Standard finish galvanised or with the addition of colour powder coating in: green, black, white, blue brown, yellow, grey or red, at an extra cost.

Panel Height	Ref	Gate Height	Ref
1m high	071460 ○	Single gate 0.9m wide	
1.2m high	071462 ○	1m high	071440BM ○
Posts for panels		1.2 high	071450BM ○
1m high	071402 ○	Double gates 3m wide	
1.2 high	071403 ○	1m high	071406 ○
Connector (allow 4 per panel)	020000 ○	1.2 high	071407 ○

Timber Playtime fencing, as the name indicates, was originally designed for play areas in parks, recreation areas and nursery/primary schools. However it is also popular in residential situations, as a front garden fence, its appearance is somewhat similar to a very robust version of palisade or picket fencing.

All timber used throughout is superior quality Jakcured softwood guaranteed for 25 years. All fittings and fixings are galvanised or stainless steel. All components are specifically designed to present no sharp surface, with all timber planed, with rounded ends for extra safety.

The design also ensures that no children can get either their necks or limbs trapped between pales or pale tops. Playtime has easy to install panels with gravel boards for attaching to posts and rail connectors. The flexible design will accommodate sloping sites without stepping. Matching self closing gates with galvanised metal frame for longer life are available.

Posts: 125 x 125mm by 1.8m overall Rails: 100 x 38mm (nominal sizes)

Pales: 100 x 38mm (nominal sizes) Gravel boards: 150 x 38mm (nominal sizes)

Gate: Steel frame with self closing hinge, galvanized with polyester powder coating, timber clad.

Price on application.

○ MADE TO ORDER (CANNOT BE CANCELLED ONCE ORDERED)

bow top & playtime panels