

Slotted Jakposts
Posts are 100 x 100mm with two 54 x 25mm slots for panels.

Fence Height	Post Length	Intermediate Ref	Corner Posts Ref	End Posts Ref
0.6m	1.06m	756200 ●	756300 ●	756100 ●
0.9m & 0.75m	1.5m	667200 ●	667220 ●	668200 ●
1.05m & 1.2m	1.8m	667300 ●	667330 ●	668300 ●
1.4m & 1.5m	2.1m	667400 ●	667440 ●	668400 ●
1.65m & 1.85m	2.4m	667500 ●	667550 ●	668500 ●
2.0m	2.7m	667800 ●	667880 ●	668800 ●

Heavy Duty Jakposts
Posts are 120 x 124mm with two 54 x 25mm slots for panels.

Post Length	Intermediate Ref	Corner Posts Ref	End Posts Ref
2.7m	669000 ●	669010 ●	669011 ●
3.0m	669100 ●	669110 ●	669111 ●
3.3m*	669200 ●	669220 ●	669222 ●
3.6m*	669300 ●	669330 ●	669333 ●
3.9m*	669400 ●	669440 ●	669444 ●

*Please Note: Posts are intended to be used with a combination of panels and trellis, not solid panels. Heavy duty slotted post- Intermediate

Square Section Panel Posts

Planed finish (not slotted). These are standard square section posts without the unique slot that our superior slotted Jakposts have. It is advisable to fix panels to posts with Jakclips when using standard posts. See pages 48 - 49.

Heavy Duty Panel Posts

Size: 91 x 91mm (planed dimension before treatment)
Jakcured posts for hanging light gates etc.

Post Length	Ref
1.2m	641100 ■
1.5m	641200 ●
1.8m	641300 ●
2.1m	641400 ●
2.4m	641500 ●
2.7m	641600 ●
3.0m	641700 ●
3.3m	641800 ●
3.6m	641900 ●



Standard Panel Posts

Size: 70 x 70mm
(planed dimension before treatment)

Fence Height	Post Length	Ref
0.6m	1.2m	640100 ■
0.9m	1.5m	640200 ●
1.2m	1.8m	640300 ●
1.5m	2.1m	640400 ●
1.8m	2.4m	640500 ●
2.1m	2.7m	640600 ●



Featherboard Panels slotting easily into Jakpost



Close up of Jakpost

Slotted Jakposts and Square Posts



Our slotted Jakposts are designed to work with all our standard and premium fencing panels from Jaktop and Palisade to Featherboard, Venetian and even our Trellis.

Jakposts are 100mm x 100mm, planed finish with two 54mm x 25mm slots for panels. All panels slot easily into position as shown here when minimum fence height is 0.6m. We have listed below some of the many benefits to using Jakposts:

- All timber is Jakcure® treated softwood guaranteed for 25 years
- Jakposts reduce damage caused by wind movement when panels are screwed to posts
- Unlike concrete posts, there is no risk frost damage, cracks or chips
- Easy to carry and lighter than concrete posts
- Easier to erect than concrete posts
- More supportive than square section posts & avoids sight gaps between panels & posts
- Gravel boards, capping and finials available
- Stainless steel nails used throughout
- More natural appearance than concrete posts

We generally recommend that all posts should be set in concrete at a minimum 0.6m into the ground. Please ask for advice when sizing gate posts.

Recommended Fixings

We recommend using 6 screws per panel or 12 per panel if using capping rails. 60mm, stainless steel, self-drilling countersunk screws are available in packs of 100 or 200 to secure panels to posts. Posts should be screwed to the panels to secure the fence run.

Installation instructions for most of our products are available from our website: www.jacksons-fencing.co.uk. Alternatively, we can supply you with a copy on request.

Screws	Ref
Stainless Steel Self-Drilling Countersunk Torx Head Screw Pack of 200 60mm	809900 ●
Stainless Steel Self-Drilling Countersunk Torx Head Screw Pack of 100 60mm	809911 ●

● STOCK ITEMS ■ CHECK FOR AVAILABILITY



In response to learning about the decline in hedgehog numbers in the UK - it has been estimated that the current population is down by half since 2000 according to a report pulished in The Guardian (2018) - Jacksons introduced a Hedgehog Friendly Gravel Board for use with Slotted Jakposts (shown above). We have been delighted with the response from the public and wildlife organisations to our raising awareness of this problem and offering a simple solution that allows Hedgehogs to roam freely between gardens.

We offer a Hedgehog friendly gravel board for use with Jakposts (667610) with a hole at one end, large enough to allow Hedgehogs free passage and a reinforcing strip along the top of the board to ensure strength is retained. For more info about the plight of the Hedgehog, visit our website and search for 'Help the Hedgehogs'.



Hedgehog Friendly Gravel Board for use with Slotted Jakposts
1.83m long
140mm x 28mm
with 22mm packers
Ref 667610 ●

For a Hedgehog friendly version of the Traditional Fencing (non-panel) gravel board, we suggest customers cut the gravel board on site and by using a small peg to support the fence rail, as shown in the photo upper left. The support pegs are also used to prevent gravel boards distorting when more than one is used to increase fence height.

Support peg
600 x 50 x 50mm
Ref 644400 ●



Gravel Boards for use with slotted Jakpost.

1.83m long
140mm x 28mm
with 22mm packers
Ref 667600 ●



Gravel Boards are to be used with every panels to meet Jacksons guarantee conditions.

Ref 2.40m 150 x 25mm 230700 ●

Gravel Boards



You may or may not be aware of the importance of gravel boards in ensuring your fencing stays in good condition. They are made from a specific type of timber, Jakcure® treated specifically for constant ground contact.

Gravel boards are also used to raise panels off the ground, give a fence extra height and add a finishing touch to a well put together run of fencing. All timber used throughout is premium quality Jakcure® treated softwood, guaranteed for 25 years

Jacksons Supply Two Types of Standard Gravel Board:


The first is a gravel board for use with our slotted Jakposts. This version includes two spacer blocks that prevent the gravel board from movement when installed in the slotted posts. The spacer blocks can be purchased separately if spares are required (667601). We recommend gravel boards are screwed into position to prevent any movement.

The second gravel board type we offer is a 2.4m long x 150mm x 25mm (230700) typically used with Traditional Fencing such as Traditional Featherboard. This version will not work with our slotted Jakpost system.

When using two gravel boards to increase the height of a fence, the boards should be held together with a 600mm x 50mm x 50mm (644400) support post to prevent any distortion. This should be placed centrally and driven into the ground with the gravel boards screwed to it. Gravel boards are not intended to retain earth on one side of the fence without additional support.

To meet the conditions of the 25-year Jakcure® guarantee, gravel boards are required where panels are in contact with the ground and any timber cut on site must be treated with Jakcure® End Grain Treatment, see page 51.

● STOCK ITEMS



Post Caps and Finials (shown left from A - K)
Our range includes standard flat square post caps that are a simple finish to the top of a post, alternatively, our simple half round version will give the post a clean domed top. We also offer Decorative Ball and Acorn Finials.

Style - Size	Ref
A: for use with 75mm x 75mm posts	640900 ●
B1: for use with 100mm x 100mm posts	641000 ●
B2: for use with 125mm x 125mm posts	640660 ●
C: for use with 100mm x 100mm posts	668000 ●
D: for use with 75mm x 75mm posts	645400BM ●
E: for use with 75mm x 75mm posts	645600BM ●
F: for use with 100mm x 100mm posts	645700BM ●
K: for use with 100mm x100mm posts	645880BM ●

Capping for panels weathered two ways.
Sawn timber triangular shaped top capping rail.
Intended or use between square posts above Featherboard panels. If using between slotted posts, the capping will need to be notched on site. Note - if you prefer capping to run over the tops of the posts then please use our standard panel capping (see p51))



Jakcure® End Grain Treatment
Where cutting or drilling treated timber cannot be avoided, always use Jakcure® End Grain Treatment to ensure no timber is left untreated and the conditions of the 25-year Jakcure® guarantee are met.
500g bottle 131212 ●

Capping Rails Finials & Post Caps



Post Caps, Finials and Capping Rails all add the final touches to a well put together run of fencing. Some people may think a post without a Cap or Finial looks unfinished, you can judge this for yourself, the top photo on the left shows Ball Finials on the posts, which punctuate the curves of the Trellis Topper panels.

The photo below shows a smart run of Venetian panels which have been finished with a capping rail, running flush with the post and panel tops to give a crisp, contemporary look.

We offer a selection of Post Caps, Finials and Capping Rails, all manufactured from superior quality Jakcure® treated softwood, and all guaranteed for 25 years.



Standard Capping for Panels
Planed timber with 2 rounded edges
1.88m x 120mm x 20mm
2.0m x 120mm x 20mm
(for use at ends & corners)

Ref
667700 ●
667772 ●



Heavy Duty Capping Rail
For intermediate slotted posts
1.900m x 145mm x 35mm.
For end and corner slotted posts
1.985m x 145mm x 35mm.

Ref
667700H ■
667770H ■

● STOCK ITEMS ■ CHECK FOR AVAILABILITY