



Lattice wing panels



Lattice trellis



Diamond trellis



Convex trellis



Premier square trellis

Premier Trellis



Premier Trellis, as the name suggests, is Jacksons Fencings' premium Trellis range. We offer many panel sizes and three different infill patterns to choose from; Diamond, Square and Lattice.

All Premier Trellis panels feature a strong planed timber frame, designed for use with slotted Jakposts, so they can fit perfectly on top of a panel as a Trellis topper panel.

Used alone they are great for creating enclosures, screens and decorative structures in your garden.

A very traditional use for Trellis has been to attach it to walls to encourage climbing plants to twine around.


All timber used throughout is superior quality Jakcure® treated softwood, guaranteed for 25 years, with a planed finish. The timber framing is 45mm x 51mm with battens of 25mm x 12mm. All fixings are stainless steel.

Many thanks to our customers for sharing the examples shown in the photos on this page.


Far top left, shows Lattice premier panels installed above a brick wall, with a pair of wing lattice panels at the gateway. Shown top right are Lattice panels installed to provide a high screen above existing fencing.

You can find details on the Premier Trellis panels range in the pages that follow.


Premier Trellis, is handmade from quality planed finish Jakcure® treated softwood, guaranteed for a minimum of 25 years. Choose the sizes you want to make any combination of base panels, topper panels and wing panels. See the previous page for examples of other customers’ trellis ideas. For Jakposts and decorative post caps see pages 46 - 47. Matching gates for the Trellis panels are available, please ask for details.



Square Trellis Panels
(100mm squares)
Panel framing is 45 x 51mm with 25 x 12mm battens. Available in the sizes below:



Lattice Panels
(38mm squares)
Panel framing is 45 x 51mm with 25 x 12mm battens. Available in the sizes below:



Diamond Trellis Panels
(100mm diamonds) Panel framing is 45 x 51mm with 25 x 12mm battens. Available in the sizes below:

Height mm	Width mm	Ref
300	1830	740100 ●
430	1830	740200 ○
560	1830	740300 ●
810	1830	750400 ○
940	1830	740500 ○
1190	1830	740600 ○
1320	1830	740800 ○
1450	1830	740900 ○
1570	1830	741000 ○
1830	1830	741100 ○
		741300 ●

Lattice Wing Panel (38mm squares)
Size: 560 x 940mm sold as singles or in pairs
Ref 775000BM ○ Pair
Ref 775010 ○ Left Hand single panel
Ref 775020 ○ Right Hand single panel



Concave Topper Panel (100mm squares)
Size: 1830 x 560mm at ends Ref 742200 ○



Trellis Wing Panel (100mm squares)
Size: 560 x 940mm sold as singles or in pairs
Ref 744000BM ○ Pair
Ref 744010 ○ Left Hand single panel
Ref 744020 ○ Right Hand single panel



Convex Topper Panel (100mm squares)
Size: 1830 x 560mm at centre 430mm at the ends. Ref 742100 ○



● STOCK ITEMS ○ MADE TO ORDER (CANNOT BE CANCELLED ONCE ORDERED) ■ CHECK FOR AVAILABILITY



Metal Trellis
This elegant solution for growing climbers, like wisteria, is a simple metal trellis, rather than the traditional timber design.



Made from galvanized metal, our mesh is polyester powder coated black, and is firmly fixed to the wall with simple fixings, (see below) to hold the trellis an ideal distance from the wall and allow plants to climb and thrive (as you can see in the picture).



The Standard Trellis range is our basic trellis system; it was Jacksons original trellis before we developed our trellis with the Premier range.

Specification
Made from 25 x 19mm Jakcure® treated softwood timber infill at 138mm with 38 x 19mm Jakcure® softwood side framing and 45 x 51mm top rail. All panels are 1.83m wide.

Square Top Trellis 1.83m wide with nominal 138mm infill centre squares

Panel Height	Holes	Ref
0.86m	5	638200 ■
1.18m	7	638300 ■
1.50m	9	638400 ■
1.83m	11	638500 ■

Special heights for use as topping above panel fences that are not Standard Trellis.

Height	Holes	Ref
0.3m	2	638700 ■
0.6m	4	638100 ■

Square Top Trellis Gate
1.0m wide x 1.8m high (see garden gates section) complete with galvanized fittings Ref 639500

Metal Trellis
Specification: Trellis 2m high x 700mm wide. Galvanized and polyester powder coated black as standard can be supplied in different colours for an additional cost - please enquire for details.

Size	Ref
2m x 700mm including fixings	957070 ○

(We recommend using 6 fixings to attach metal trellis to a wall or fence). 816000BM



Tartan Trellis Panels



A refreshing spin on traditional Trellis, the attractive Tartan Trellis panel offers a mid-way point between our Premier Lattice Trellis, which provides more screening with its small squares and the larger more open squares of the Premier Square Trellis.

By placing the pales at irregular spacings, we have given our trellis range a new look and the effect is an unusual pattern rather reminiscent of plaid or tartan with more than a hint of Charles Rennie Mackintosh.

Tartan Trellis panels make a perfect airy screen in the garden allowing light to pass through easily, and when the sun shines through the pattern it creates unusual and striking shadows. As with all our timber products, Tartan Trellis panels are manufactured from Jakcure® pressure treated timber that’s guaranteed for 25 years and designed for use with slotted Jakposts, gravel boards and capping rails or post caps, see pages 46 - 47. Due to its symmetrical design, the Tartan Trellis panel is only available at 1.83m wide x 1.83m high.

Specification: Panel framing is 45 x 51mm for extra strength. Battens are 25 x 12mm. All fixings are stainless steel.

To meet the conditions of the 25-year Jakcure® guarantee, gravel boards are required where panels are in contact with the ground, see pages 48 - 49, and any timber cut on site must be treated with Jakcure® End Grain Treatment, see page 51.

Please note: There is no need to apply any further timber protection treatment to your Jacksons Jakcure® treated product. Some customers might want to add colour to their Jacksons products, in these cases, please be aware that timber will naturally take a while to dry during which natural shrinkage can occur, so we recommend that you don’t apply any colour coatings until the timber is fully dry and stable.

Tartan Trellis (1.83m wide)

Height	Ref
1.83m	752300 ○

If you have to cut down a panel on site then use the following kit reference. Always use Jakcure® End Grain Treatment on cut timber, see page 51.

Ref
741300K ●

○ MADE TO ORDER (CANNOT BE CANCELLED ONCE ORDERED) ● STOCK ITEMS